

## Safety Data Sheet

### 1. Chemical product and company identification

**Product name** : Cyflumetofen

**SDS code** : Q9-13

**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku\_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

**Emergency number** : 06-6910-7305

**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use for any purpose other than research and experiment. Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc. Do not use in the environment.

### 2. Hazards identification

#### GHS classification

|                  |  |                             |
|------------------|--|-----------------------------|
| Physical hazards | Explosives   | No classification           |
|                  | Flammable gases  | No classification           |
|                  | Aerosol  | No classification           |
|                  | Oxidizing gases  | No classification           |
|                  | Gases under pressure   | No classification           |
|                  | Flammable liquids  | No classification           |
|                  | Flammable solids   | classification not possible |
|                  | Self-reactive substances and mixtures                                    | No classification           |
|                  | Pyrophoric liquids   | No classification           |
|                  | Pyrophoric solids  | classification not possible |
|                  | Self-heating substances and mixtures                                     | classification not possible |
|                  | Substances and mixtures which in contact with water emit flammable gases | No classification           |
|                  | Oxidizing liquids  | No classification           |
|                  | Oxidizing solids   | No classification           |
|                  | Organic peroxides  | No classification           |
|                  | Corrosive to metals  | classification not possible |
|                  | Desensitized explosives  | No classification           |
| Health hazards   | Acute toxicity (oral)  | No classification           |
|                  | Acute toxicity (dermal)  | No classification           |
|                  | Acute toxicity (inhalation:gas)  | No classification           |
|                  | Acute toxicity (inhalation:vapors)                                       | classification not possible |
|                  | Acute toxicity (inhalation:dust/mist)                                    | classification not possible |
|                  | Skin corrosion/irritation  | No classification           |
|                  | Serious eye damage/eye irritation  | No classification           |
|                  | Respiratory sensitization  | classification not possible |
|                  | Skin sensitization   | Category 1                  |
|                  | Germ cell mutagenicity   | No classification           |
|                  | Carcinogenicity  | Category 2                  |
|                  | Reproductive toxicity  | No classification           |
|                  | Specific target organ toxicity (single exposure)                         | classification not possible |

|                       |   |                             |
|-----------------------|---|-----------------------------|
| Environmental hazards | Specific target organ toxicity (repeated exposure)        | Category 2 (adrenal)        |
|                       | Aspiration hazard   | classification not possible |
|                       | Hazardous to the aquatic environment, short-term (acute)  | classification not possible |
|                       | Hazardous to the aquatic environment, long-term (chronic) | Category 1                  |
|                       | Hazardous to the ozone layer                              | classification not possible |

Hazard pictograms (GHS JP)



GHS07



GHS08



GHS09

|                                   |  |
|-----------------------------------|--|
| Signal word (GHS JP)              | : Warning  |
| Hazard statements (GHS JP)        | : May cause an allergic skin reaction (H317)<br>Suspected of causing cancer (H351)<br>May cause damage to organs (adrenal) through prolonged or repeated exposure (H373)<br>Very toxic to aquatic life with long lasting effects (H410)  |
| Precautionary statements (GHS JP) |  |
| Prevention                        | : Obtain special instructions before use. (P201)<br>Do not handle until all safety precautions have been read and understood. (P202)<br>Do not breathe dust/fume/gas/mist/vapors/spray. (P260)<br>Contaminated work clothing should not be allowed out of the workplace. (P272)<br>Avoid release to the environment. (P273)<br>Wear protective gloves/protective clothing/eye protection/face protection. (P280) |
| Response                          | : IF ON SKIN: Wash with plenty of water. (P302+P352)<br>IF exposed or concerned: Get medical advice/attention. (P308+P313)<br>Get medical advice/attention if you feel unwell. (P314)<br>If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)<br>Take off contaminated clothing and wash it before reuse. (P362+P364)<br>Collect spillage. (P391)  |
| Storage                           | : Store locked up. (P405)  |
| Disposal                          | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)   |

### 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

| Name         | Concentration or Concentration range | Formula     | Kanpo number |            | CAS RN      |
|--------------|--------------------------------------|-------------|--------------|------------|-------------|
|              |                                      |             | CSCL no      | ISHL no    |             |
| Cyflumetofen | ≥96%、≤100%                           | C24H24F3NO4 | -            | 7-(4)-1065 | 400882-07-7 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures after inhalation   | : Remove person to fresh air and keep comfortable for breathing.<br>Get immediate medical advice/attention.                                       |
| First-aid measures after skin contact | : Remove/Take off immediately all contaminated clothing.<br>Gently wash with plenty of soap and water.<br>Get immediate medical advice/attention. |

- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.  
Get immediate medical advice/attention.

## 5. Fire fighting measures

- Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.  
Avoid (reject) fire-fighting water to enter environment.  
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.  
Wash out the spilled area with large amounts of water.

## 7. Handling and storage

### Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

### Storage

- Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.

Material used in packaging/containers : Light shielding airtight container.  
Technical measures : Comply with applicable regulations.  
Storage temperature : Refrigerate: 2-10°C

## 8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

### Protective equipment

Respiratory protection : Dustproof mask  
Hand protection : Impervious protective gloves  
Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)  
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

## 9. Physical and chemical properties

Physical state : Solid  
Appearance : Powder  
Color : white  
Odor : Odorless  
pH : No data available  
Melting point : 77.9 – 81.7 °C  
Freezing point : No data available  
Boiling point : 269.2 °C  
Flash point : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability : No data available  
Vapor pressure :  $3.1 \times 10^{-5}$  Pa (25°C)  
Relative density : No data available  
Density : 1.2 g/cm<sup>3</sup> (20°C)  
Relative gas density : No data available  
Solubility : Soluble in acetone. Soluble in dichloromethane. Soluble in ethyl acetate. Soluble in n-hexane. Soluble in methanol. Soluble in toluene.  
Water: 0.00281 mg/l (20°C)  
Partition coefficient n-octanol/water (Log Pow) : 4.3  
Explosive limits (vol %) : No data available  
Viscosity, kinematic : No data available  
Particle characteristics : No data available

## 10. Stability and reactivity

Reactivity : No data available  
Chemical stability : Stable under normal handling conditions. Stable up to 293°C. Stable in weakly acidic solvents. Unstable in alkaline solvents.  
Possibility of hazardous reactions : No data available  
Conditions to avoid : Sunlight, Heat  
Incompatible materials : No data available  
Hazardous decomposition products : Nitrogen oxides, Fluorine and its compounds

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Cyflumetofen            |                   |
|-------------------------|-------------------|
| Acute toxicity (oral)   | No classification |
| Acute toxicity (dermal) | No classification |

| Cyflumetofen                          |                             |
|---------------------------------------|-----------------------------|
| Acute toxicity (gas)                  | No classification           |
| Acute toxicity (vapour)               | classification not possible |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation             | No classification           |
| Serious eye damage/irritation         | No classification           |
| Respiratory sensitization             | classification not possible |
| Skin sensitization                    | Category 1A                 |
| Germ cell mutagenicity                | No classification           |
| Carcinogenicity                       | Category 2                  |
| Reproductive toxicity                 | No classification           |
| STOT-single exposure                  | classification not possible |
| STOT-repeated exposure                | Category 2                  |
| Aspiration hazard                     | classification not possible |

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Cyflumetofen                                      |                             |
|---|-----------------------------|
| Hazardous to Aquatic Environment - Acute Hazard   | classification not possible |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 1                  |
| Persistence and degradability                     | No data available           |
| Bioaccumulative potential                         | No data available           |
| Mobility in soil                                  | No data available           |
| Hazardous to the ozone layer                      | classification not possible |

## 13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.  
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

### International Regulations

#### Transport by sea(IMDG)

- UN-No. (IMDG) : 3077
- Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
- Packing group (IMDG) : III
- Transport hazard class(es) (IMDG) : 9
- Hazard labels (IMDG) : 9
- Class (IMDG) : 9
- Special provision (IMDG) : 274, 335, 966, 967, 969
- Limited quantities (IMDG) : 5 kg
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : LP02, P002
- Packing provisions (IMDG) : PP12
- IBC packing instructions (IMDG) : IBC08
- IBC special provisions (IMDG) : B3
- Tank instructions (IMDG) : BK1, BK2, BK3, T1
- Tank special provisions (IMDG) : TP33
- Stowage category (IMDG) : A
- MFAG-No : 171

#### Air transport(IATA)

- UN-No. (IATA) : 3077
- Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.
- Packing group (IATA) : III
- Transport hazard class(es) (IATA) : 9

|  |  |
|--|--|
| Hazard labels (IATA)                         | : 9  |
| Class (IATA)                                 | : 9  |
| PCA Excepted quantities (IATA)               | : E1   |
| PCA Limited quantities (IATA)                | : Y956   |
| PCA limited quantity max net quantity (IATA) | : 30kgG  |
| PCA packing instructions (IATA)              | : 956  |
| PCA max net quantity (IATA)                  | : 400kg  |
| CAO packing instructions (IATA)              | : 956  |
| CAO max net quantity (IATA)                  | : 400kg  |
| Special provision (IATA)                     | : A97, A158, A179, A197, A215  |
| ERG code (IATA)                              | : 9L   |
| <b>Marine pollutant</b>                      | : Applicable   |
| <b>Regulations in Japan</b>                  |  |
| Regulatory information by sea                | : Conform to the provisions of the Ship Safety Law.  |
| Regulatory information by air                | : Conform to the provisions of the Civil Aeronautics Law.  |
| MFAG-No                                      | : 171  |
| <b>Special transport precautions</b>         | : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers. |

## 15. Regulatory information

### National law

|   |  |
|---|--|
| Industrial Safety and Health Law                                | : Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1, 4 based on July 4, 2023) |
| Japanese Poisonous and Deleterious Substances Control Law       | : Substances Not Considered Deleterious (Designating Order Art.2)  |
| Water Pollution Prevention Law                                  | : Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)   |
| Fire Service Law  | : Not applicable   |
| Foreign Exchange and Foreign Trade Control Act                  | : Export Trade Control Ordinance appendix 1-16   |
| Ship Safety Act   | : Miscellaneous dangerous substances & articles (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)   |
| Civil Aeronautics Law   | : Miscellaneous dangerous substances & articles (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)   |
| Waterworks Law  | : Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)   |
| Sewerage Law  | : Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)   |
| Japanese Pollutant Release and Transfer Register Law (PRTR Law) | : Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1)<br>2-Methoxyethyl 2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(2-trifluoromethylphenyl)propanoate (synonym: Cyflumetofen) (100%)         |
| Soil Contamination Countermeasures Law                          | : Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1)  |

## 16. Other information

|                   |  |
|-------------------|--|
| Data sources      | : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.<br>International Chemical Safety Cards.<br>National Institute of Technology and Evaluation (NITE).<br>2020 Emergency Response Guidebook (ERG 2020).   |
| Other information | : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user |

him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.