

## Safety Data Sheet

### 1. Chemical product and company identification

**Product name** : 2mol/L(2N) Hydrochloric acid methanol solution

**SDS code** : QB-19

**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku\_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

**Emergency number** : 06-6910-7305

**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

### 2. Hazards identification

#### GHS classification

Physical hazards	Explosives	classification not possible	
	Flammable gases	No classification	
	Aerosol	classification not possible	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	Category 2	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	classification not possible	
	Pyrophoric liquids	classification not possible	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	classification not possible	
	Substances and mixtures which in contact with water emit flammable gases	classification not possible	
	Oxidizing liquids	classification not possible	
	Oxidizing solids	No classification	
	Organic peroxides	classification not possible	
	Corrosive to metals	Category 1	
	Desensitized explosives	classification not possible	
	Health hazards	Acute toxicity (oral)	Category 4
		Acute toxicity (dermal)	No classification
		Acute toxicity (inhalation:gas)	Category 4
Acute toxicity (inhalation:vapors)		classification not possible	
Acute toxicity (inhalation:dust/mist)		Category 3	
Skin corrosion/irritation		Category 1	
Serious eye damage/eye irritation		Category 1	
Respiratory sensitization		Category 1	
Skin sensitization		No classification	
Germ cell mutagenicity		classification not possible	
Carcinogenicity		classification not possible	
Reproductive toxicity	Category 1B		
Specific target organ toxicity (single exposure)	Category 1 (central nervous system, visual organ, systemic toxicity)		

	Specific target organ toxicity (single exposure)	Category 2 (respiratory system)
	Specific target organ toxicity (single exposure)	Category 3 (Narcosis)
	Specific target organ toxicity (repeated exposure)	Category 1 (central nervous system, visual organ)
	Specific target organ toxicity (repeated exposure)	Category 2 (tooth, respiratory system)
	Aspiration hazard	classification not possible
Environmental hazards	Hazardous to the aquatic environment, short-term (acute)	Category 2
	Hazardous to the aquatic environment, long-term (chronic)	No classification
	Hazardous to the ozone layer	classification not possible

## Hazard pictograms (GHS JP)



GHS02



GHS05



GHS06



GHS08

## Signal word (GHS JP)

: Danger

## Hazard statements (GHS JP)

: Highly flammable liquid and vapor (H225)  
 May be corrosive to metals (H290)  
 Harmful if swallowed or if inhaled (H302+H332)  
 Causes severe skin burns and eye damage (H314)  
 Toxic if inhaled (H331)  
 May cause an allergy or asthma symptoms or breathing difficulties if inhaled (H334)  
 May cause drowsiness or dizziness (H336)  
 May damage fertility or the unborn child (H360)  
 Causes damage to organs (central nervous system, visual organ, systemic toxicity) (H370)  
 May cause damage to organs (respiratory system) (H371)  
 Causes damage to organs (central nervous system, visual organ) through prolonged or repeated exposure (H372)  
 May cause damage to organs (tooth, respiratory system) through prolonged or repeated exposure (H373)  
 Toxic to aquatic life (H401)

## Precautionary statements (GHS JP)

## Prevention

: Obtain special instructions before use. (P201)  
 Do not handle until all safety precautions have been read and understood. (P202)  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)  
 Keep only in original container. (P234)  
 Ground and bond container and receiving equipment. (P240)  
 Use explosion-proof electrical/ventilating/lighting equipment. (P241)  
 Use only non-sparking tools. (P242)  
 Take action to prevent static discharges. (P243)  
 Do not breathe dust/fume/gas/mist/vapors/spray. (P260)  
 Wash hands, forearms and face thoroughly after handling. (P264)  
 Do not eat, drink or smoke when using this product. (P270)  
 Use only outdoors or in a well-ventilated area. (P271)  
 Avoid release to the environment. (P273)  
 Wear protective gloves/protective clothing/eye protection/face protection. (P280)  
 [In case of inadequate ventilation] wear respiratory protection. (P284)

## Response

: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. (P301+P312)  
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340)

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)  
IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311)  
Immediately call a POISON CENTER or doctor. (P310)  
Get medical advice/attention if you feel unwell. (P314)  
If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311)  
Wash contaminated clothing before reuse. (P363)  
In case of fire: Use specify appropriate media to extinguish. (P370+P378)  
Absorb spillage to prevent material-damage. (P390)
- Storage : Store in a well-ventilated place. Keep container tightly closed. (P403+P233)  
Store in a well-ventilated place. Keep cool. (P403+P235)  
Store locked up. (P405)  
Store in corrosive resistant container with a resistant inner liner. (P406)
- Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Hydrogen chloride	About 8.3%	HCl	(1)-215	Existing Chemical Substance	7647-01-0
Methanol	About 77%	CH <sub>3</sub> OH	(2)-201	Existing Chemical Substance	67-56-1
Water	About 14.7%	H <sub>2</sub> O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.  
Gently wash with plenty of soap and water.  
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting.  
Drink plenty of water.  
Rinse mouth.  
Get immediate medical advice/attention.

### 5. Fire fighting measures

- Suitable extinguishing media : Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : Extremely flammable liquid and vapor.
- Explosion hazard : Danger of the steam explosion in indoor, outdoor, sewer.  
May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.

- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.  
Avoid (reject) fire-fighting water to enter environment.  
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.  
Collect leaking and spilled liquid in sealable containers as far as possible.  
Wash out the spilled area with large amounts of water.  
If possible, neutralize with slaked lime, soda ash, etc. before washing out.

## 7. Handling and storage

### Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.  
Take precautionary measures against static discharge.  
Use explosion-proof equipment.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

### Storage

- Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.  
Store in corrosive resistant container with a resistant inner liner.
- Material used in packaging/containers : Light shielding airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

## 8. Exposure controls / Personal protection equipment

Exposure limit values	
<b>Hydrogen chloride</b>	
Exposure limits (JSOH)	【Ceiling】2ppm(3.0mg/m <sup>3</sup> )
Exposure limits (ACGIH)	TWA -,STEL C 2 ppm
<b>Methanol</b>	
Japan administration level	200ppm
Exposure limits (JSOH)	200ppm(260mg/m <sup>3</sup> )(skin)
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

### Protective equipment

Respiratory protection : Gas mask for acid gases, Gas mask for organic gases  
 Hand protection : Impervious protective gloves  
 Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)  
 Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

## 9. Physical and chemical properties

Physical state : Liquid  
 Appearance : Liquid  
 Color : colorless  
 Odor : characteristic odor  
 pH : ≤ 1 (25°C)  
 Melting point : No data available  
 Freezing point : No data available  
 Boiling point : No data available  
 Flash point : No data available  
 Auto-ignition temperature : No data available  
 Decomposition temperature : No data available  
 Flammability (solid, gas) : No data available  
 Vapor pressure : No data available  
 Relative density : No data available  
 Density : 0.88 g/cm<sup>3</sup> (20°C)  
 Relative gas density : No data available  
 Solubility : No data available  
 Partition coefficient n-octanol/water (Log Pow) : No data available  
 Explosive limits (vol %) : No data available  
 Viscosity, kinematic : No data available  
 Particle characteristics : No data available

## 10. Stability and reactivity

Reactivity : No data available  
 Chemical stability : Stable under normal handling conditions. May be colored during storage.  
 Possibility of hazardous reactions : When heated, it decomposes to produce formaldehyde. Be a strong acid, reacts violently with bases. Reacts with oxidizing agents to generate heat and may ignite. The mixture with hydrogen peroxide explodes due to impact. Corrodes many kinds of metals to evolve flammable/explosive hydrogen gas.  
 Conditions to avoid : Sunlight, heat. Ignition sources such as sparks, flames and static electricity. Contact with bases, oxidizing agents, hydrogen peroxide and metals.  
 Incompatible materials : Bases, Oxidizing agents, Hydrogen peroxide, Metals  
 Hazardous decomposition products : Formaldehyde, Hydrogen chloride, Chlorine, Hydrogen

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

<b>As a product</b>	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (inhalation)	vapors:classification not possible Gases:Category 4 dust, mist:Category 3
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 2 Category 3 (Narcosis)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible
<b>Hydrogen chloride</b>	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	Category 3
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	No classification
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	No classification
<b>Methanol</b>	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
<b>Water</b>	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification

Water	
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Hazardous to the aquatic environment, short-term (acute)	Category 2
Hazardous to the aquatic environment, long-term (chronic)	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
Hydrogen chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Methanol	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

## 13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.  
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

### International Regulations

#### Transport by sea(IMDG)

UN-No. (IMDG)	: 3286
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
Packing group (IMDG)	: II
Transport hazard class(es) (IMDG)	: 3 (6.1, 8)
Hazard labels (IMDG)	: 3,6.1,8
Class (IMDG)	: 3
Subsidiary hazard (IMDG)	: 6.1, 8
Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC99
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP13, TP27
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Flammable, toxic, corrosive liquid. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.
MFAG-No	: 131

#### Air transport(IATA)

UN-No. (IATA)	: 3286
Proper Shipping Name (IATA)	: Flammable liquid, toxic, corrosive, n.o.s.
Packing group (IATA)	: II
Transport hazard class(es) (IATA)	: 3 (6.1, 8)
Hazard labels (IATA)	: 3, 6.1, 8
Class (IATA)	: 3
Subsidiary hazards (IATA)	: 6.1, 8
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y340
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 363
CAO max net quantity (IATA)	: 5L
ERG code (IATA)	: 3CP

**Marine pollutant** : Not applicable

#### Regulations in Japan

Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 131

**Special transport precautions** : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

### National law

Industrial Safety and Health Law	: Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning, Art.1, Para.1, Item 4) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Methanol (Ordinance number : 560) Hydrogen chloride (Ordinance number : 98) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)
----------------------------------	--



Industrial Safety and Health Law	Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on dental health checkup (Act, Art.66, Para.3, Enforcement Order, Art.22 Item 3)
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Water Pollution Prevention Law	: Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	: Group 4 - Flammable liquids - Alcohols (Law Art.2 Para.7, Attached Table 1, Group 4)
Air Pollution Control Law	: Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Article 1 of the Enforcement Ordinance) Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Law Relating to Prevention of Marine Pollution and Maritime Disasters	: Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 2)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	: Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.)
Waste Management on Public Cleansing Law	: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enforcement Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Not applicable
Labor Standards Act	: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

## 16. Other information

Data sources	: Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	: The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.