

# Creatinine standard solution (100mg CRE/dL)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 9/5/2014 Revision date: 8/24/2023 SDS code: R9-10 Version: 04

## Safety Data Sheet

## 1. Chemical product and company identification

Product name : Creatinine standard solution (100mg CRE/dL)

SDS code : R9-10

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

**Recommended use** : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

## 2. Hazards identification

#### **GHS** classification

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification
Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mistures

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

Acute toxicity (dermal) No classification
Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible

Acute toxicity (inhalation:dust/mist)

Skin corrosion/irritation

Serious eye damage/eye irritation

Respiratory sensitization

Skin sensitization

No classification

No classification

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible

Reproductive toxicity No classification
Specific target organ toxicity (single No classification

exposure)

Revision date: 8/24/2023

Specific target organ toxicity

(repeated exposure)

No classification No classification

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

classification not possible

Category 3

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)



GHS05

Signal word (GHS JP) Danger

Hazard statements (GHS JP) May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

Harmful to aquatic life (H402)

Precautionary statements (GHS JP)

Prevention Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Store locked up. (P405) Storage

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

## 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CAS KI
Creatinine	About 0.1%	C4H7N3O	(9)-408	Existing Chemical Substance	60-27-5
Hydrogen chloride	About 0.36%	HCI	(1)-215	Existing Chemical Substance	7647-01-0
Water	About 99.54%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

#### 4. First aid measures

#### First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eve

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Do NOT induce vomiting. First-aid measures after ingestion

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

# 5. Fire fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Do not use a heavy water stream.

Hazardous decomposition products

in case of fire

**Explosion hazard** 

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

May induce explosion of containers by heating.

In the case of peripheral fire, quickly remove movable containers to safe

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

#### 6. Accidental release measures

## Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions Avoid release to the environment.

Prevent entry to sewers and public waters.

#### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

# 7. Handling and storage

#### Handling

Work with appropriate personal protective equipment to prevent inhalation Technical measures

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

**Storage** 

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

Light shielding airtight container.

packaging/containers Technical measures

Comply with applicable regulations.

Storage temperature Cool and dark place

# 8. Exposure controls / Personal protection equipment

Exposure limit values	
Hydrogen chloride	
Exposure limits (JSOH)	[Ceiling]2ppm(3.0mg/m3)
Exposure limits (ACGIH)	TWA -,STEL C 2 ppm

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles) Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

# 9. Physical and chemical properties

Physical state Liquid Appearance Liquid

Color colorless transparent

Odor Odorless pΗ ≈ 1 (25°C)

No data available Melting point No data available Freezing point **Boiling point** No data available No data available Flash point No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 1.00 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

Revision date: 8/24/2023 SI

# 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : No data available Conditions to avoid : Sunlight, Heat Incompatible materials : No data available

Hazardous decomposition : Nitrogen oxides, Chlorine compounds

products

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	d On the GHS Classification Results by NTE.
Acute toxicity (oral)	No classification
Acute toxicity (oral) Acute toxicity (dermal)	No classification  No classification
Acute toxicity (dermal)  Acute toxicity (inhalation)	vapors:classification not possible
Notic toxicity (initialation)	Gases:No classification
	dust, mist:No classification
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	No classification
STOT-single exposure STOT-repeated exposure	No classification No classification
Aspiration hazard	No classification
Creatinine	NO Classification
	N
Acute toxicity (oral)	No data available
Acute toxicity (dermal)	No data available
Acute toxicity (gas)	No data available
Acute toxicity (vapour)	No data available
Acute toxicity (inhalation:dust/mist)	No data available
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory sensitization	No data available
Skin sensitization	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT-single exposure	No data available
STOT-repeated exposure	No data available
Aspiration hazard	No data available
Hydrogen chloride	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	Category 3
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	No classification
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1

Hydrogen chloride		
Aspiration hazard	No classification	
Water		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	

No classification

No classification

# 12. Ecological information

STOT-repeated exposure

Aspiration hazard

The information in this section is based on	the "GHS Classification Results" by NITE.
As a product	·
	Category 3
short-term (acute)	
	classification not possible
long-term (chronic)	No state assemble
	No data available  No data available
	No data available
	classification not possible
Creatinine	oldoonioni not poodible
	No data available
Hazardous to Aquatic Environment - Acute Hazard	No data available
Hazardous to Aquatic Environment - Chronic Hazard	No data available
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	No data available
Hydrogen chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	
	No data available
,	No data available classification not possible
,	
Hazardous to the ozone layer  Water	
Hazardous to the ozone layer  Water  Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to the ozone layer  Water  Hazardous to Aquatic Environment - Acute Hazard  Hazardous to Aquatic Environment - Chronic Hazard	Classification not possible  No classification
Hazardous to the ozone layer  Water  Hazardous to Aquatic Environment - Acute Hazard  Hazardous to Aquatic Environment - Chronic Hazard  Persistence and degradability	No classification No classification
Hazardous to the ozone layer  Water  Hazardous to Aquatic Environment - Acute Hazard  Hazardous to Aquatic Environment - Chronic Hazard  Persistence and degradability  Bioaccumulative potential	No classification No classification No data available

iayashi Pure Chemicai ind.,Lid

## 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

# 14. Transport information

#### International Regulations

## Transport by sea(IMDG)

UN-No. (IMDG) : 1760

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8
Class (IMDG) : 8
Special provision (IMDG) : 323

Special provision (IMDG) : 223, 274
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28

Stowage category (IMDG) : A

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

MFAG-No : 154

#### Air transport(IATA)

UN-No. (IATA) : 1760

Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net : 1L

quantity (IATA)

PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provision (IATA) : A3, A803
ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

**Special transport precautions**: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

## **National law**

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Hydrogen chloride (Ordinance number : 98)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Revision date: 8/24/2023

Designated Chemical Substances (Law Article 2, Paragraph 4, Water Pollution Prevention Law

Enforcement Order Article 3-3)

Fire Service Law Not applicable

Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Air Pollution Control Law

Article 1 of the Enforcement Ordinance)

Specified substances (Article 17, Paragraph 1 of the Law, Article 10

of the Enforcement Ordinance)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Export Trade Control Ordinance appendix 1-16

Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, Port Regulation Law

notice attached table that defines the type of dangerous goods)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4) Not applicable

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Labor Standards Act

Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

## 16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance. the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.