
Safety Data Sheet**1. Chemical product and company identification****Product name** : 0.5mol/L Nickel(II) sulfate solution**SDS code** : S9-06**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.**2. Hazards identification****GHS classification**

Physical hazards	Explosives	classification not possible	
	Flammable gases	No classification	
	Aerosol	classification not possible	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	classification not possible	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	classification not possible	
	Pyrophoric liquids	classification not possible	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	classification not possible	
	Substances and mixtures which in contact with water emit flammable gases	classification not possible	
	Oxidizing liquids	classification not possible	
	Oxidizing solids	No classification	
	Organic peroxides	classification not possible	
	Corrosive to metals	classification not possible	
	Desensitized explosives	classification not possible	
	Health hazards	Acute toxicity (oral)	No classification
		Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation:gas)		No classification	
Acute toxicity (inhalation:vapors)		classification not possible	
Acute toxicity (inhalation:dust/mist)		classification not possible	
Skin corrosion/irritation		classification not possible	
Serious eye damage/eye irritation		classification not possible	
Respiratory sensitization		Category 1	
Skin sensitization		Category 1	
Germ cell mutagenicity		No classification	
Carcinogenicity		Category 1A	
Reproductive toxicity	Category 2		
Specific target organ toxicity (single exposure)	classification not possible		

	Specific target organ toxicity (repeated exposure)	Category 2 (respiratory system, male genitalia)
	Aspiration hazard	classification not possible
Environmental hazards	Hazardous to the aquatic environment, short-term (acute)	Category 3
	Hazardous to the aquatic environment, long-term (chronic)	Category 3
	Hazardous to the ozone layer	classification not possible

Hazard pictograms (GHS JP)



GHS08

Signal word (GHS JP)	:	Danger
Hazard statements (GHS JP)	:	May cause an allergic skin reaction (H317) May cause an allergy or asthma symptoms or breathing difficulties if inhaled (H334) May cause cancer (H350) Suspected of damaging fertility or the unborn child (H361) May cause damage to organs (respiratory system, male genitalia) through prolonged or repeated exposure (H373) Harmful to aquatic life with long lasting effects (H412)
Precautionary statements (GHS JP)	:	
Prevention	:	Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Contaminated work clothing should not be allowed out of the workplace. (P272) Avoid release to the environment. (P273) Wear protective gloves/protective clothing/eye protection/face protection. (P280) [In case of inadequate ventilation] wear respiratory protection. (P284)
Response	:	IF ON SKIN: Wash with plenty of water. (P302+P352) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF exposed or concerned: Get medical advice/attention. (P308+P313) Get medical advice/attention if you feel unwell. (P314) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311) Take off contaminated clothing and wash it before reuse. (P362+P364)
Storage	:	Store locked up. (P405)
Disposal	:	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Nickel(II) sulfate	About 7.4%	NiSO4	(1)-813	Existing Chemical Substance	7786-81-4
Water	About 92.6%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.
All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Avoid (reject) fire-fighting water to enter environment.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.
Collect leaking and spilled liquid in sealable containers as far as possible.
Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.

Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.

Material used in packaging/containers : Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Nickel(II) sulfate	
Japan administration level	0.1mg/m ³ (as Ni)
Exposure limits (JSOH)	0.01mg/m ³ (as Ni, except Nickel carbonyl and Nickel smelting dust)
Exposure limits (ACGIH)	TWA 0.1 mg/m ³ (I),STEL - (as Ni (1996) Soluble inorganic compounds (NOS))

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid
Color : green
Odor : Odorless
pH : 6.5 (25°C)
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative density : No data available
Density : 1.05 g/cm³ (20°C)
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Explosive limits (vol %) : No data available
Viscosity, kinematic : No data available
Particle characteristics : No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts with strong oxidizing agents.
Conditions to avoid	:	Sunlight, heat. Contact with strong oxidizing agents.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Sulfur oxides, Nickel compounds

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible Gases:No classification dust, mist:classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	No classification
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
STOT-single exposure	classification not possible
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible
Nickel(II) sulfate	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	No classification
Carcinogenicity	Category 1A
Reproductive toxicity	Category 2
STOT-single exposure	classification not possible
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification

Water	
Aspiration hazard	No classification

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Hazardous to the aquatic environment, short-term (acute)	Category 3
Hazardous to the aquatic environment, long-term (chronic)	Category 3
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
Nickel(II) sulfate	
Hazardous to Aquatic Environment - Acute Hazard	Category 2
Hazardous to Aquatic Environment - Chronic Hazard	Category 2
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

- UN-No. (IMDG) : 3082
- Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- Packing group (IMDG) : III
- Transport hazard class(es) (IMDG) : 9
- Hazard labels (IMDG) : 9
- Class (IMDG) : 9
- Special provision (IMDG) : 274, 335, 969
- Limited quantities (IMDG) : 5 L
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : LP01, P001
- Packing provisions (IMDG) : PP1
- IBC packing instructions (IMDG) : IBC03
- Tank instructions (IMDG) : T4
- Tank special provisions (IMDG) : TP2, TP29
- Stowage category (IMDG) : A
- MFAG-No : 171

Air transport(IATA)

UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Packing group (IATA)	: III
Transport hazard class(es) (IATA)	: 9
Hazard labels (IATA)	: 9
Class (IATA)	: 9
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provision (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 171

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information**National law**

Chemical Substances Control Law	: Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	: Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Nickel and its compounds (Ordinance number : 418)
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Water Pollution Prevention Law	: Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	: Not applicable
Air Pollution Control Law	: Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9) Hazardous Air Pollutants, Substances on Voluntary Management Guideline (Environment Agency Notice No.205 of Oct 18, 1996, Environment Agency Notice No.2210181 of Oct 18, 2022)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Miscellaneous dangerous substances & articles (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Miscellaneous dangerous substances & articles (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Class 1 Designated Chemical Substances, Specified Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4) Nickel compounds as nickel(2.8%)
Labor Standards Act	: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

16. Other information

Data sources	: Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
--------------	--

Other information

- : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.