

#### 40W/V% Ammonium fluoride solution

## Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 7/3/2015 Revision date: 8/18/2023 SDS code: S9-20 Version: 06

#### Safety Data Sheet

#### 1. Chemical product and company identification

**Product name** 40W/V% Ammonium fluoride solution

SDS code S9-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

#### 2. Hazards identification

#### **GHS** classification

Health hazards

Physical hazards **Explosives** classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

Pyrophoric liquids

classification not possible classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in classification not possible

contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible Desensitized explosives classification not possible Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification Acute toxicity (inhalation:vapors) No classification

Acute toxicity (inhalation:dust/mist) classification not possible Skin corrosion/irritation classification not possible

Serious eye damage/eye irritation Category 2

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single classification not possible

exposure)

Revision date: 8/18/2023

SDS code: S9-20

Version: 06

Specific target organ toxicity

(repeated exposure)

Category 1 (bone)

classification not possible

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Category 3

Hazardous to the aquatic

environment, long-term (chronic)

Category 3

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS07

GHS08

Signal word (GHS JP)

Danger

Hazard statements (GHS JP) : Causes serious eye irritation (H319)

Causes damage to organs (bone) through prolonged or repeated exposure

(H372)

Harmful to aquatic life with long lasting effects (H412)

Precautionary statements (GHS JP)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Get medical advice/attention if you feel unwell. (P314)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

#### 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or	Formula	Kanpo number		CAS RN
Concentration range	Torritala	CSCL no	ISHL no		
Ammonium fluoride	About 36.2%	NH4F	(1)-311	Existing Chemical Substance	12125-01-8
Water	About 63.8%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

#### 4. First aid measures

#### First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Cat immediate medical advice/attention

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye

contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion

Rinse mouth.

Get immediate medical advice/attention.

Revision date: 8/18/2023 SDS code: S9-20 Version: 06

#### 5. Fire fighting measures

Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media : Do not use a heavy water stream. Fire hazard : This product is unburnable.

Explosion hazard : May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

#### 6. Accidental release measures

## Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

#### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

## 7. Handling and storage

#### Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

. д

Avoid prolonged or repeated exposure.

substances or mixtures

Storage

Prevents handling of incompatible

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in : Airtight container.

packaging/containers Storage prohibition in glass, ceramic, or a metal container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

Revision date: 8/18/2023 SDS code: S9-20 Version: 06

#### 8. Exposure controls / Personal protection equipment

Exposure limit values	
Ammonium fluoride	
Exposure limits (ACGIH)	TWA 2.5 mg/m3,STEL - (as F)

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment** 

Respiratory protection : Gas mask for acid gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

## 9. Physical and chemical properties

Physical state : Liquid Appearance : Liquid

Color : colorless transparent
Odor : No data available

pH : 7.3 (25°C)

Melting point No data available Freezing point No data available **Boiling point** No data available Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 1.11 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

#### 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : When heated strongly, evolves hydrogen fluoride gas and ammonium

fluoride fumes. When in contact with alkalis, produces ammonia.

Conditions to avoid : Sunlight, heat. Contact with strong acids and strong bases.

Incompatible materials : Strong acids, Strong bases

Hazardous decomposition : Hydrogen fluoride, Fluorine compounds, Ammonia, Nitrogen oxides

products

### 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:No classification
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	classification not possible

Revision date: 8/18/2023

As a product Serious eye damage/irritation Cate Respiratory sensitization class	gony 2
	ification not possible
	ification not possible
	ification not possible
Carcinogenicity class	ification not possible
	ification not possible
	ification not possible
STOT-repeated exposure Cate	gory 1
	ification not possible
Ammonium fluoride	
Acute toxicity (oral) class	ification not possible
Acute toxicity (dermal) class	ification not possible
Acute toxicity (gas) No cl	assification
Acute toxicity (vapour) No cl	assification
	ification not possible
Skin corrosion/irritation class	ification not possible
	gory 2
Respiratory sensitization class	ification not possible
Skin sensitization class	ification not possible
Germ cell mutagenicity class	ification not possible
Carcinogenicity class	ification not possible
Reproductive toxicity class	ification not possible
STOT-single exposure class	ification not possible
STOT-repeated exposure Cate	gory 1
Aspiration hazard class	ification not possible
Water	
Acute toxicity (oral) No cl	assification
Acute toxicity (dermal) No cl	assification
Acute toxicity (gas) No cl	assification
Acute toxicity (vapour) No cl	assification
Acute toxicity (inhalation:dust/mist) No cl	assification
Skin corrosion/irritation No cl	assification
Serious eye damage/irritation No cl	assification
Respiratory sensitization No cl	assification
	assification
Germ cell mutagenicity No cl	assification
Carcinogenicity No cl	assification
Reproductive toxicity No cl	assification
STOT-single exposure No cl	assification
STOT-repeated exposure No cl	assification
Aspiration hazard No cl	assification

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

	The mileting and the decidence and an area of the diagonic and the area of the	
As a product		
Hazardous to the aquatic environment, short-term (acute)	Category 3	
Hazardous to the aquatic environment, long-term (chronic)	Category 3	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Ammonium fluoride		
Hazardous to Aquatic Environment -	Category 3	

Revision date: 8/18/2023 SDS code: S9-20

Ammonium fluoride	
Hazardous to Aquatic Environment - Chronic Hazard	Category 3
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	No data available
Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

## 13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

#### 14. Transport information

#### International Regulations

### Transport by sea(IMDG)

UN-No. (IMDG) 3287

Proper Shipping Name (IMDG) TOXIC LIQUID, INORGANIC, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 6.1 Hazard labels (IMDG) 6.1 Class (IMDG) 6.1 Division (IMDG) 6.1 Special provision (IMDG) 223, 274 Limited quantities (IMDG) 5 L Excepted quantities (IMDG) E1 Packing instructions (IMDG) P001, LP01 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) **T7** 

Tank special provisions (IMDG) TP1, TP28

Stowage category (IMDG) Properties and observations (IMDG) Toxic if swallowed, by skin contact or by inhalation.

MFAG-No

Air transport(IATA)

UN-No. (IATA) 3287

Proper Shipping Name (IATA) Toxic liquid, inorganic, n.o.s.

Packing group (IATA) Ш Transport hazard class(es) (IATA) 6.1 Hazard labels (IATA) 6.1 Class (IATA) 6.1 Division (IATA) 6.1 PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y642 PCA limited quantity max net 2L

quantity (IATA) PCA packing instructions (IATA) 655 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 663 CAO max net quantity (IATA) 220L Special provision (IATA) A3, A4, A137

ERG code (IATA) 6L

Revision date: 8/18/2023 SDS code: S9-20 Version: 06

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 151

**Special transport precautions** : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

#### **National law**

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Fluorine and its water-soluble inorganic compounds (Ordinance

number: 487)

Japanese Poisonous and Deleterious Substances Control Law

Deleterious Substances (Designated Order Art.2) Ammonium fluoride and preparations containing it

Water Pollution Prevention Law

Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)

: Not applicable

Air Pollution Control Law

: Hazardous Air Pollutants (Central Environment Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

Fire Service Law

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Toxic and infectious substances/Toxic substances (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law : Toxic and infectious substances/Toxic substances (Hazardous

materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

Port Regulation Law : Toxic and infectious substances/Toxic substances (Article 21,

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Sewerage Law : Substances for Water Quality Standard (Act Art.12-2 Para.2,

Enforcement Order Art.9-4)

Japanese Pollutant Release and

Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Hydrogen fluoride and its water-soluble salts as fluorine(19%)

Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

Soil Contamination

Countermeasures Law

Designated Hazardous Substances (Act Art.2 Para.3, Enforcement

Order Art.1)

#### 16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to

Revision date: 8/18/2023 SDS code: S9-20

disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.