

Hayashi Pure Chemical Ind.,Ltd. Revision date: 8/9/2023

Date of issue: 12/22/2015

SDS code: T7-02

Version: 04

## Safety Data Sheet

## 1. Chemical product and company identification

Product name SDS code	:	98% Sulfuric acid T7-02
Company/undertaking identification HAYASHI PURE CHEMICA Address : 3-2-12 Uchihiran Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@h URL : https://www.hpc-j.co	oma npc-j	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number Recommended use Restrictions on use	: : :	06-6910-7305 For research and experimental use only. Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.
		F , , ,

## 2. Hazards identification

#### **GHS classification**

Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	No classification
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	No classification
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	Category 1
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	No classification
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	Category 2
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	classification not possible
	Skin sensitization	No classification
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	No classification
	Specific target organ toxicity (single exposure)	Category 1 (respiratory system)

	Specific target organ toxic	tity Categor	y 1 (respiratory system)
	(repeated exposure) Aspiration hazard	classific	ation not possible
Environmental	Hazardous to the aquatic environment, short-term (	Categor	-
	Hazardous to the aquatic environment, long-term (c	Categor	y 1
	Hazardous to the ozone la	ayer classific	ation not possible
Hazard pictograms (GHS JP)			¥2
	GHS05 GHS06	GHS08	GHS09
			GUODA
Signal word (GHS JP)	: Dange		(11200)
Hazard statements (GF	Cause Fatal if Cause Cause repeat Harmfu	inhaled (H330) s damage to organs s damage to organs ed exposure (H372) Il to aquatic life (H40	and eye damage (H314) (respiratory system) (H370) (respiratory system) through prolonged or
Precautionary stateme	-		
Prevention	Do not Wash Do not Use or Avoid Wear p (P280)	hands, forearms and eat, drink or smoke ally outdoors or in a w release to the environ protective gloves/prot	as/mist/vapors/spray. (P260) face thoroughly after handling. (P264) when using this product. (P270) rell-ventilated area. (P271)
Response	: IF SW/ (P301- IF ON	ALLOWED: Rinse me -P330+P331)	outh. Do NOT induce vomiting.
	IF INH	ALED: Remove pers	on to fresh air and keep comfortable for
	IF IN E contac (P305-	t lenses, if present a -P351+P338)	sly with water for several minutes. Remove nd easy to do. Continue rinsing.
	(P308-	-P311)	Call a POISON CENTER or doctor.
	Wash Absorb	contaminated clothin spillage to prevent i	n if you feel unwell. (P314) g before reuse. (P363) material-damage. (P390)
Storage		spillage. (P391) n a well-ventilated pl	ace. Keep container tightly closed.
-	(P403- Store I	-P233) ocked up. (P405)	container with a resistant inner liner. (P406)
Disposal	: Dispos point, i	e of contents/contair	ner to hazardous or special waste collection cal, regional, national and/or international

## 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or	Formula	Kanpo	CAS RN		
Name	Concentration range	Tornidia	CSCL no	ISHL no		
Sulfuric acid	≧98%、≦100%	H2SO4	(1)-430	Existing Chemical Substance	7664-93-9	

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin	:	Remove/Take off immediately all contaminated clothing.
contact		Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Do NOT induce vomiting.
		Drink plenty of water.
		Rinse mouth.
		Get immediate medical advice/attention.

## 5. Fire fighting measures

Suitable extinguishing media	:	Dry powder, Carbon dioxide.
Unsuitable extinguishing media	:	Water
Fire hazard	:	This product is unburnable.
Explosion hazard	:	May induce explosion of containers by heating.
		May induce explosion of containers by water contamination.
Reactivity in case of fire	:	Reacts violently with water.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

### 6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures			
General measures	:	Before entering, ventilate the area.	
		Do not let unauthorized persons come close to the area.	
		Immediately place the leakage area in isolation, with taking proper distances for all directions.	
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.	
Environmental precautions			
Environmental precautions	:	Avoid release to the environment.	
		Prevent entry to sewers and public waters.	

#### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible.
		Wash out the spilled area with large amounts of water.
		If possible, neutralize with slaked lime, soda ash, etc. before washing out.
7. Handling and storage		
-		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
		Store in corrosive resistant container with a resistant inner liner.
Material used in packaging/containers	:	Airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

### 8. Exposure controls / Personal protection equipment

Exposure limit values		
Sulfuric acid		
Exposure limits (JSOH)	[Ceiling]1mg/m3	
Exposure limits (ACGIH)	TWA 0.2 mg/m3(T),STEL -	
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.	
Protective equipment		
Respiratory protection	: Gas mask for acid gases	
Hand protection	: Impervious protective gloves	
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)	
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots	

## 9. Physical and chemical properties

Physical state	:	Liquid
Appearance	:	Viscous liquid
Color	:	colorless transparent
Odor	:	Odorless
рН	:	Strong acid
Melting point	:	10 °C
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	340 °C
Flammability (solid, gas)	:	No data available

98%Sulfuric acidRevision date: 8/9/2023SDS code: T7-02Version: 04

Vapor pressure	:	0.13 kPa (146℃)
Relative density	:	No data available
Density	:	≈ 1.8 g/cm³ (15°C)
Relative gas density	:	No data available
Solubility	:	Easily soluble in water. Soluble in ethanol.
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

### 10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions. Hygroscopicity.
Possibility of hazardous reactions	:	When in contact or mixed with water, violent reaction occurs to generate heat. When heated, evolves irritating and toxic sulfur oxides fumes and gases. When in contact with bases, combustible substances, oxidizing agents and reducing agents, poses a hazard of fire or explosion. When in contact with metals, it evolves flammable hydrogen gas, causing a risk of ignition and explosion due to ignition sources such as high temperature, sparks, flames and static electricity.
Conditions to avoid	:	Sunlight, moisture, heat. Contact with water, combustible substances, reducing substances, oxidizing agents, bases and metals.
Incompatible materials	:	Water, Combustible substances, Reducing substances, Oxidizing agents, Bases, Metals
Hazardous decomposition products	:	Sulfur oxides, Hydrogen

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Sulfuric acid	
Acute toxicity (oral)	Category 5
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	No classification
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

### **12. Ecological information**

The information in this section is based on the "GHS Classification Results" by NITE.

Sulfuric acid	
Hazardous to Aquatic Environment - Acute Hazard	Category 3
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available

Revision date: 8/9/2023

Sulfuric acid	
Hazardous to the ozone layer	classification not possible

## 13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

#### International Regulations

<b>j</b>	
Transport by sea(IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Packing group (IMDG) Transport hazard class(es) (IMDG) Hazard labels (IMDG) Class (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG)	: 1830 : SULPHURIC ACID : II : 8 : 8 : 8 : 9001 : IBC02 : B20
Tank instructions (IMDG) Tank special provisions (IMDG)	: T8 : TP2
Stowage category (IMDG) Properties and observations (IMDG)	<ul> <li>C</li> <li>Colourless, oily liquid, mixture over 1.41 up to 1.84 relative density. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.</li> </ul>
MFAG-No	: 137
Air transport(IATA)	
UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA) Class (IATA)	: 1830 : Sulphuric acid : II : 8 : 8 : 8
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) ERG code (IATA)	: E2 : Y840 : 0.5L : 851 : 1L : 855 : 30L : 8L
Marine pollutant	: Applicable
Regulations in Japan	
Regulatory information by sea Regulatory information by air MFAG-No <b>Special transport precautions</b>	<ul> <li>Conform to the provisions of the Ship Safety Law.</li> <li>Conform to the provisions of the Civil Aeronautics Law.</li> <li>137</li> <li>When transporting, load containers so that they do not tip over,</li> </ul>
	damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

#### National law

Industrial Safety and Health Law	:	Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2
		Item 1, Item 2, Attached Table No.9)
		Sulfuric acid (Ordinance number : 613)

Industrial Safety and Health Law		Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326) Substances on dental health checkup (Act, Art.66, Para.3, Enforcement Order, Art.22 Item 3)
Japanese Poisonous and Deleterious Substances Control Law	:	Deleterious Substances (Designated Order Art.2) Preparations containing sulfuric acid. (except for preparations containing 10% or less of sulfuric acid.)
Water Pollution Prevention Law	:	Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Narcotics and Psychotropics Control Act	:	Raw Materials (Law Art.2 (7), Attached Table Art.4 (9), Designating Order Art. 4)
Fire Service Law	:	Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2)
Air Pollution Control Law	:	Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance)
Law Relating to Prevention of Marine Pollution and Maritime Disasters	:	Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 2)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16 Export Approval (Export Trade Control Order, Attached Table 2)
Ship Safety Act	:	Corrosive substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	:	Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Not applicable
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)

## 16. Other information

Data sources	<ul> <li>Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.</li> <li>National Institute of Technology and Evaluation (NITE).</li> <li>2020 Emergency Response Guidebook (ERG 2020).</li> </ul>
Other information	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.