

# 0.5mol/L(N/2) Ammonium iron(II) sulfate solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 3/4/2016 Revision date: 3/31/2023

SDS code: T9-05

Version: 04

# Safety Data Sheet

### 1. Chemical product and company identification

		······································
Product name	:	0.5mol/L(N/2) Ammonium iron(II) sulfate solution
SDS code	:	Т9-05
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirano Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@hp URL : https://www.hpc-j.co.jj	oma oc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

# 2. Hazards identification

### **GHS** classification

Physical hazards	Explosives	classification not possible
	Flammable gases	No classification
	Aerosol	classification not possible
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	classification not possible
	Flammable solids	No classification
	Self-reactive substances and mixtures	classification not possible
	Pyrophoric liquids	classification not possible
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	classification not possible
	Oxidizing solids	No classification
	Organic peroxides	classification not possible
	Corrosive to metals	Category 1
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	classification not possible
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	classification not possible
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	Category 2
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	classification not possible
	Specific target organ toxicity (single exposure)	Category 1 (respiratory system)

Environmental hazards	Specific target organ toxicity (repeated exposure) Aspiration hazard Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Hazardous to the ozone layer		Category 1 (respiratory system) classification not possible classification not possible Category 2 classification not possible		
Hazard pictograms	$\wedge$	$\wedge$	$\land$		
(GHS JP)	L Z				
	$\checkmark$	$\sim$		$\checkmark$	
Circuit Word (CLIC, IC	GHS05		HS08	GHS09	
Signal word (GHS JP	-	: Danger	. to motole (1100		
Hazard statements (C	GHS JP)	Fatal if inhaled (I Causes damage Causes damage repeated exposu	kin burns and e H330) to organs (respi to organs (respi ire (H372)	0) ye damage (H314) iratory system) (H370) iratory system) through prolonged or ting effects (H411)	
Precautionary statem	ents (GHS JP)		C C		
Prevention		Wash hands, for Do not eat, drink Use only outdoo Avoid release to Wear protective (P280)	lust/fume/gas/mi earms and face or smoke when rs or in a well-ve the environmen gloves/protective	ist/vapors/spray. (P260) thoroughly after handling. (P264) using this product. (P270) intilated area. (P271)	
Response		=	-	Do NOT induce vomiting.	
Storage		<ul> <li>(P301+P330+P3)</li> <li>IF ON SKIN (or H Rinse skin with v IF INHALED: Re breathing (P304- IF IN EYES: Rins contact lenses, if (P305+P351+P3)</li> <li>IF exposed or co (P308+P311)</li> <li>Immediately call Get medical adv Wash contamina Absorb spillage f Collect spillage.</li> <li>Store in a well-ve</li> </ul>	31) hair): Take off im vater . (P303+P3 move person to +P340) se cautiously wit f present and ea 38) incerned: Call a a POISON CEN ice/attention if you ted clothing before o prevent mater (P391)	mediately all contaminated clothing.	
-		(P403+P233) Store locked up.	(P405)	iner with a resistant inner liner. (P406)	
Disposal			nce with local, re	hazardous or special waste collection egional, national and/or international	

## 3. Composition/information on ingredients

Distinction of substance or mixture	:	Mixture
-------------------------------------	---	---------

Synonyms

: 0.5mol/L(N/2) Ammonium ferrous sulfate solution

Name	Concentration or	Formula	Kanpo	CAS RN	
Name	Concentration range	Forniula	CSCL no	ISHL no	CAS KN
Ammonium iron(II) sulfate hexahydrate	About 15.6%	Fe(NH4)2(SO4)2• 6H2O	(1)-359,(1)- 400	Existing Chemical Substance	7783-85-9
Sulfuric acid	About 21.6%	H2SO4	(1)-430	Existing Chemical Substance	7664-93-9
Water	About 62.8%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
		Get immediate medical advice/attention.
First-aid measures after skin	:	Remove/Take off immediately all contaminated clothing.
contact		Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Do NOT induce vomiting.
		Drink plenty of water.
		Rinse mouth.
		Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Explosion hazard	:	May induce explosion of containers by heating.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Avoid (reject) fire-fighting water to enter environment.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

### 6. Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

General measures	:	Before entering, ventilate the area.
		Do not let unauthorized persons come close to the area.
		Immediately place the leakage area in isolation, with taking proper distances for all directions.
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions		
Environmental precautions	:	Avoid release to the environment.
		Prevent entry to sewers and public waters.
Methods and Equipment for Conta	inm	nent and Cleaning up
Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible. Wash out the spilled area with large amounts of water.
		If possible, neutralize with slaked lime, soda ash, etc. before washing out.
7. Handling and storage		
Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
		Store in corrosive resistant container with a resistant inner liner.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

# 8. Exposure controls / Personal protection equipment

Exposure limit values				
Sulfuric acid				
Exposure limits (JSOH)	[Ceiling]1mg/m3			
Exposure limits (ACGIH)	TWA 0.2 mg/m3(T),STEL -			
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.			
Protective equipment				
Respiratory protection	: Gas mask for acid gases			
Hand protection	: Impervious protective gloves			
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)			
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots			

## 9. Physical and chemical properties

-	-	-
Physical state	:	Liquid
Appearance	:	Liquid
Color	:	pale blue
Odor	:	Odorless
рН	:	≤ 1 (25°C)
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available

:	No data available
:	No data available
:	1.26 g/cm <sup>3</sup> (20°C)
:	No data available

## 10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Unstable because it changes in quality due to oxidation. Gradually discolors when exposed to air and light.
Possibility of hazardous reactions	:	When heated, it decomposes to evolve nitrogen oxides and sulfur oxides. Reacts with strong acids, strong bases and strong oxidizing agents.
Conditions to avoid	:	Sunlight, heat. Contact with strong acids, strong bases and strong oxidizing agents.
Incompatible materials	:	Strong acids, Strong bases, Strong oxidizing agents
Hazardous decomposition products	:	Nitrogen oxides, Sulfur oxides

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Acute toxicity (oral)	classification not possible	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (inhalation)	vapors:classification not possible	
	Gases:classification not possible	
	dust, mist:Category 2	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	
Ammonium iron(II) sulfate hexahydrate		
Acute toxicity (oral)	No data available	
Acute toxicity (dermal)	No data available	
Acute toxicity (gas)	No data available	
Acute toxicity (vapour)	No data available	
Acute toxicity (inhalation:dust/mist)	No data available	
Skin corrosion/irritation	No data available	
Serious eye damage/irritation	No data available	
Respiratory sensitization	No data available	
Skin sensitization	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity	No data available	
Reproductive toxicity	No data available	
STOT-single exposure	No data available	

Ammonium iron(II) sulfate hexahydrate		
STOT-repeated exposure	No data available	
Aspiration hazard	No data available	
Sulfuric acid		
Acute toxicity (oral)	Category 5	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	Category 2	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	No classification	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	No classification	
STOT-single exposure	Category 1	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	
Water		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	No classification	

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Hazardous to the aquatic environment, short-term (acute)	classification not possible	
Hazardous to the aquatic environment, long-term (chronic)	Category 2	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Ammonium iron(II) sulfate hexahydrate		
Hazardous to Aquatic Environment - Acute Hazard	No data available	
Hazardous to Aquatic Environment - Chronic Hazard	No data available	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	No data available	

Sulfuric acid		
Hazardous to Aquatic Environment - Acute Hazard	Category 3	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Water Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment -	No classification       No classification	
Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment -		
Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability	No classification       No data available	

## 13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

International Regulations

#### Transport by sea(IMDG)

Packing instructions (IMDG):P001IBC packing instructions (IMDG):IBC02Tank instructions (IMDG):T11Tank special provisions (IMDG):TP2, TP27Stowage category (IMDG):B	UN-No. (IMDG) Proper Shipping Name (IMDG) Packing group (IMDG) Transport hazard class(es) (IMDG) Hazard labels (IMDG) Class (IMDG)		1760 CORROSIVE LIQUID, N.O.S. II 8 8 8 8 274
UN-No. (IATA):1760Proper Shipping Name (IATA):Corrosive liquid, n.o.s.Packing group (IATA):IITransport hazard class(es) (IATA):8Hazard labels (IATA):8Class (IATA):8PCA Excepted quantities (IATA):E2PCA Limited quantities (IATA):V840PCA limited quantity max net:0.5Lquantity (IATA):851PCA packing instructions (IATA):855CAO packing instructions (IATA):30LSpecial provision (IATA):A3, A803ERG code (IATA):8L	IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG) Properties and observations (IMDG)	:	P001 IBC02 T11 TP2, TP27 B Causes burns to skin, eyes and mucous membranes.
Proper Shipping Name (IATA):Corrosive liquid, n.o.s.Packing group (IATA):IITransport hazard class(es) (IATA):8Hazard labels (IATA):8Class (IATA):8PCA Excepted quantities (IATA):E2PCA Limited quantities (IATA):Y840PCA limited quantity max net:0.5Lquantity (IATA):851PCA packing instructions (IATA):851PCA max net quantity (IATA):1LCAO packing instructions (IATA):855CAO max net quantity (IATA):30LSpecial provision (IATA):A3, A803ERG code (IATA):8L	Air transport(IATA)		
PCA Limited quantities (IATA):Y840PCA limited quantity max net:0.5Lquantity (IATA):851PCA packing instructions (IATA):851PCA max net quantity (IATA):1LCAO packing instructions (IATA):855CAO max net quantity (IATA):30LSpecial provision (IATA):A3, A803ERG code (IATA):8L	Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA)	:	Corrosive liquid, n.o.s. II 8 8
CAO max net quantity (IATA):30LSpecial provision (IATA):A3, A803ERG code (IATA):8L	PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA)	:	Y840 0.5L 851 1L
	CAO max net quantity (IATA) Special provision (IATA) ERG code (IATA)	:	30L A3, A803 8L
		·	Αμμισανίο

#### **Regulations in Japan**

Regulatory information by sea Regulatory information by air MFAG-No <b>Special transport precautions</b>	<ul> <li>Conform to the provisions of the Ship Safety Law.</li> <li>Conform to the provisions of the Civil Aeronautics Law.</li> <li>154</li> <li>When transporting, load containers so that they do not tip over,</li> </ul>
	damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

National law	
Industrial Safety and Health Law	<ul> <li>Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Sulfuric acid (Ordinance number : 613) Water-soluble iron salts (Ordinance number : 352) Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326) Substances on dental health checkup (Act, Art.66, Para.3, Enforcement Order, Art.22 Item 3)</li> </ul>
Japanese Poisonous and Deleterious Substances Control Law	: Deleterious Substances (Designated Order Art.2) Preparations containing sulfuric acid. (except for preparations containing 10% or less of sulfuric acid.)
Water Pollution Prevention Law	<ul> <li>Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1) Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)</li> </ul>
Narcotics and Psychotropics Control Act	: Raw Materials (Law Art.2 (7), Attached Table Art.4 (9), Designating Order Art. 4)
Fire Service Law	: Not applicable
Air Pollution Control Law	: Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16 Export Approval (Export Trade Control Order, Attached Table 2)
Ship Safety Act	: Corrosive substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	: Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Not applicable
Labor Standards Act	: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)
16. Other information	
Data sources	<ul> <li>Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE).</li> <li>2020 Emergency Response Guidebook (ERG 2020).</li> </ul>
Other information	<ul> <li>The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that</li> </ul>

unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.