

2% Nitric acid alcohol

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 2/26/2024 SDS code: TC-10 Version: 01

Safety Data Sheet

1. Chemical product and company identification

Product name : 2% Nitric acid alcohol

SDS code : TC-10

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Health hazards

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification
Gases under pressure No classification
Flammable liquids Category 2
Flammable solids No classification

Self-reactive substances and

mixtures

classification not possible

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Desensitized explosives classification not possible
Acute toxicity (oral) classification not possible
Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

Category 3

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible
Skin sensitization classification not possible
Germ cell mutagenicity classification not possible

Carcinogenicity Category 1A
Reproductive toxicity Category 1A

Specific target organ toxicity (single Category 2 (respiratory system)

exposure)

Specific target organ toxicity (single Category 3 (Narcosis)

exposure)

Specific target organ toxicity (single

exposure)

Category 3 (Respiratory tract irritation.)

Specific target organ toxicity

(repeated exposure)

Category 1 (liver)

Specific target organ toxicity

(repeated exposure)

Category 2 (respiratory system, tooth, central nervous

system)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic

environment, short-term (acute)

No classification

Hazardous to the aquatic environment, long-term (chronic) No classification

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)









GHS02

GHS05

GHS06 GHS08

Signal word (GHS JP)

Hazard statements (GHS JP)

Danger

Highly flammable liquid and vapor (H225)

May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

Toxic if inhaled (H331)

May cause respiratory irritation (H335) May cause drowsiness or dizziness (H336)

May cause cancer (H350)

May damage fertility or the unborn child (H360)

May cause damage to organs (respiratory system) (H371)

Causes damage to organs (liver) through prolonged or repeated exposure

(H372)

May cause damage to organs (respiratory system, tooth, central nervous

system) through prolonged or repeated exposure (H373)

Precautionary statements (GHS JP)

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Keep only in original container. (P234)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314) Wash contaminated clothing before reuse. (P363)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Absorb spillage to prevent material-damage. (P390)

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range Formula	Kanpo number		CAS RN	
Name		Torridia	CSCL no	ISHL no	CASKI
Nitric acid	About 2.0%	HNO3	(1)-394	Existing Chemical Substance	7697-37-2
Ethanol	About 67.7%	C2H5OH	(2)-202	Existing Chemical Substance	64-17-5
Water	About 30.3%	H2O	-	=	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Disposal

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Highly flammable liquid and vapor.

Fire hazard
Explosion hazard

: Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

: If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in packaging/containers

: Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)		
Component name	Administration level (writew)	Standard Value	JSOH OEL C	
Nitrio gold	_	5.2 mg/m³	_	
Nitric acid	_	2 ppm	_	

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases, Gas mask for organic gases

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state Liquid Appearance Liquid Color colorless

Odor characteristic odor

рΗ ≤ 1 (25°C)

Melting point No data available Freezing point No data available Boiling point No data available Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available Density 0.90 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

10. Stability and reactivity

Reactivity No data available

Stable under normal handling conditions. May be colored during storage. Chemical stability Vapors mix well with air and easy to form explosive mixtures. Reacts with Possibility of hazardous reactions

oxidizing agents to pose a risk of fire and explosion. Reacts with many kinds

of metals to evolve flammable/explosive gas (hydrogen).

Conditions to avoid Sunlight, heat. Ignition sources such as sparks, flames and static electricity.

Contact with oxidizing agents and metals.

Oxidizing agents, Metals Incompatible materials

Hazardous decomposition Nitrogen oxides

products

11. Toxicological information

As a product	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:Category 3
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
STOT-single exposure	Category 2 Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible
Nitric acid	

Nitric acid	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification

Nitric acid	
Acute toxicity (vapour)	Category 1
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Ethanol	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2B
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	•
Hazardous to the aquatic environment,	No classification
short-term (acute)	
Hazardous to the aquatic environment,	No classification
long-term (chronic)	
Persistence and degradability	No data available
Bioaccumulative potential	No data available

As a product		
Mobility in soil	No data available	
Ozone	classification not possible	
Nitric acid		
Hazardous to Aquatic Environment - Acute Hazard	Category 3	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Ethanol		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 2920

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, FLAMMABLE, N.O.S.

Packing group (IMDG) Transport hazard class(es) (IMDG) 8 (3) Hazard labels (IMDG) 8,3 Class (IMDG) 8 Subsidiary hazard (IMDG) 3 Special provision (IMDG) 274 Limited quantities (IMDG) 1 L E2 Excepted quantities (IMDG) Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02

Tank instructions (IMDG) : T11
Tank special provisions (IMDG) : TP2, TP27

Stowage category (IMDG) : C

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

MFAG-No : 132

Air transport(IATA)

UN-No. (IATA) : 2920

Proper Shipping Name (IATA) : Corrosive liquid, flammable, n.o.s.

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 8 (3)
Hazard labels (IATA) : 8, 3
Class (IATA) : 8
Subsidiary hazards (IATA) : 3
PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840 PCA limited quantity max net : 0.5L

quantity (IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8F

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 132

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Group 3 Specified Chemical Substance, (Ordinance on Prevention of

Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

pangerous of Hamilui Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Ethanol Nitric acid

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No.

0704 Item 1, 4 based on July 4, 2023)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law

: Hazardous Substances (Act, Art.2, Enforcement Order Art.2,

Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law : Group 4 - Flammable liquids - Alcohols (Law Art.2 Para.7, Attached

Table 1, Group 4)

Air Pollution Control Law : Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Noxious Liquid Substances - Category Z (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 3)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waste Management on Public Cleansing Law

Waterworks Law

: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)

Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Labor Standards Act

: Not applicable

: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

16. Other information

Data sources

: Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.