

CNET-aldehydes 13 mix solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 3/31/2022 Revision date: 5/25/2023 SDS code: U8-10 Version: 02

Safety Data Sheet

1. Chemical product and company identification

Product name : CNET-aldehydes 13 mix solution

SDS code : U8-10

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use for any purpose other than research and experiment. Do not use on a

human body or for animal medicines, foods, household products, cosmetics, etc.

Do not use in the environment.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

No classification

No classification

No classification

No classification

No classification

Flammable liquids

Flammable solids

No classification

Self-reactive substances and

No classification

No classification

mixtures

Pyrophoric liquids No classification
Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in

contact with water emit flammable

gases

No classification

Oxidizing liquids No classification
Oxidizing solids No classification
Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

Acute toxicity (dermal)

Acute toxicity (inhalation:gas)

Acute toxicity (inhalation:vapors)

Category 3

No classification

Category 4

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification
Serious eye damage/eye irritation Category 2

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single Category 1 (central nervous system, respiratory

exposure) system)

Specific target organ toxicity

(repeated exposure)
Aspiration hazard

Category 2 (blood system, central nervous system,

respiratory system, liver, kidneys)

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

classification not possible classification not possible

Hazardous to the aquatic environment, long-term (chronic)

classification not possible

Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)







GHS02

GHS06

Danger

GHS08

Signal word (GHS JP)

Hazard statements (GHS JP)

: Highly flammable liquid and vapor (H225)

Toxic in contact with skin (H311) Causes serious eye irritation (H319)

Harmful if inhaled (H332)

Causes damage to organs (central nervous system, respiratory system)

(H370)

May cause damage to organs (blood system, central nervous system, respiratory system, liver, kidneys) through prolonged or repeated exposure

(H373)

Precautionary statements (GHS JP)

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Keep container tightly closed. (P233)

Ground and bond container and receiving equipment. (P240)
Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response

: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

If eye irritation persists: Get medical advice/attention. (P337+P313) Take off immediately all contaminated clothing and wash it before reuse.

(P361+P364)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Storage : Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Disposal :

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Mixture

Nama	Concentration or Concentration range	Formula	Kanpo	Kanpo number	
Name			CSCL no	ISHL no	CAS RN
Acetonitrile	≧98%	CH3CN	(2)-1508	Existing Chemical Substance	75-05-8
CNET-formaldehyde	About 0.001% (as formaldehyde)	C11H12N2O2	-	-	-
CNET-acetaldehyde	About 0.001% (as acetaldehyde)	C12H14N2O2	-	-	-
CNET-acetone	About 0.001% (as acetone)	C13H16N2O2	-	-	-
CNET-acrolein	About 0.001% (as acrolein)	C13H14N2O2	-	-	-
CNET-metaacrolein	About 0.001% (as metaacrolein)	C14H16N2O2	-	-	-
CNET-propionaldehyde	About 0.001% (as propionaldehyde)	C13H16N2O2	-	-	-
CNET-crotonaldehyde	About 0.001% (as crotonaldehyde)	C14H16N2O2	-	-	-
CNET-benzaldehyde	About 0.001% (as benzaldehyde)	C17H16N2O2	-	-	-
CNET-n-butylaldehyde	About 0.001% (as n-butylaldehyde)	C14H18N2O2	-	-	-
CNET-n-valeraldehyde	About 0.001% (as n-valeraldehyde)	C15H20N2O2	-	-	-
CNET-m-tolualdehyde	About 0.001% (as m-tolualdehyde)	C18H18N2O2	-	-	-
CNET-hexaaldehyde	About 0.001% (as hexaaldehyde)	C16H22N2O2	-	-	-
CNET-methylethylketone	About 0.001% (as methylethylketone)	C14H18N2O2	-	-	-

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin Remove/Take off immediately all contaminated clothing. contact

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Do NOT induce vomiting. First-aid measures after ingestion

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

Fire hazard Extremely flammable liquid and vapor.

Explosion hazard : Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Refrigerate: 2-10℃

8. Exposure controls / Personal protection equipment

Exposure limit values	
Acetonitrile	
Exposure limits (ACGIH)	TWA 20 ppm,STEL - (Skin)
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid Appearance : Liquid

Color : No data available
Odor : No data available
pH : No data available
Melting point : -45 °C (as acetonitrile)
Freezing point : No data available
Boiling point : 82 °C (as acetonitrile)

Flash point : 9.5 °C (as acetonitrile, tag closed cup)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative density : No data available

Density : 0.80 g/cm³ (as acetonitrile)

Relative gas density : No data available
Solubility : No data available
Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts with strong oxidizing agents to pose a risk of fire and explosion.

Reacts with acids and bases to evolve a toxic gas. Corrodes plastics and

rubbers.

Conditions to avoid : Sunlight, moisture, heat. Ignition sources such as flame, spark and static

electricity. Contact with oxidizing agents, reducing agents, acids and bases.

Contact with vinyl chloride resin, polystyrene, polycarbonate, etc.

Incompatible materials : Oxidizing agents, Reducing agents, Acids, Bases, Vinyl chloride resin,

Polystyrene, Polycarbonate, etc

Hazardous decomposition : Nitrogen oxides, Hydrogen cyanide

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	Category 3	

As a product		
Acute toxicity (inhalation)	vapors:Category 4	
	Gases:No classification	
	dust, mist:classification not possible	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	Category 2	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	
Acetonitrile		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	Category 3	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	Category 4	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	Category 2	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

A = = man deset	THE ONE ORGANICATION RESULTS BY WITE.	
As a product		
Hazardous to the aquatic environment,	classification not possible	
short-term (acute)		
Hazardous to the aquatic environment,	classification not possible	
long-term (chronic)	·	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Acetonitrile		
Hazardous to Aquatic Environment -	No classification	
Acute Hazard		
Hazardous to Aquatic Environment -	No classification	
Chronic Hazard		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1992

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, TOXIC, N.O.S.

Packing group (IMDG) : II
Transport hazard class(es) (IMDG) : 3 (6

Transport hazard class(es) (IMDG) : 3 (6.1)
Hazard labels (IMDG) : 3,6.1
Class (IMDG) : 3
Subsidiary hazard (IMDG) : 6.1
Special provision (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7

Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2, TP13

Stowage category (IMDG) : B

Properties and observations (IMDG) : Flammable toxic liquid which is not specified by name in this class or,

on account of its characteristics, in some other class. Toxic if

swallowed, by skin contact or by inhalation.

MFAG-No : 131

Air transport(IATA)

UN-No. (IATA) : 1992

Proper Shipping Name (IATA) : Flammable liquid, toxic, n.o.s.

Proper Shipping Name (IATA) : Flammat
Packing group (IATA) : II
Transport hazard class(es) (IATA) : 3 (6.1)
Hazard labels (IATA) : 3, 6.1
Class (IATA) : 3
Subsidiary hazards (IATA) : 6.1

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net : 1L

quantity (IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
Special provision (IATA) : A3
ERG code (IATA) : 3HP

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.

Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 13

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law : Priority Assessment Chemical Substances (Law Article 2, Para.5)

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Acetonitrile (Ordinance number: 15)

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Japanese Poisonous and :

Deleterious Substances Control Law

Deleterious Substances (Designated Order Art.2)
Organic cyanide compounds and preparations containing it (except

for following (1)-(169))

Water Pollution Prevention Law : Hazardous Substances (Act, Art.2, Enforcement Order Art.2,

Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law : Group 4 - Flammable liquids - 1st Class petroleums - soluble (Law

Art.2 Para.7, Attached Table 1, Group 4)

Air Pollution Control Law : Hazardous Air Pollutants (Central Environment Council Report No. 9)

Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Flammable liquids (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)

Destriction for Vehicle Treffic (Enforcement Order Art 10.12

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Sewerage Law : Substances for Water Quality Standard (Act Art.12-2 Para.2,

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Soil Contamination Countermeasures Law Not applicable

Designated Hazardous Substances (Act Art.2 Para.3, Enforcement

Order Art.1)

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.