

Methyl orange-Xylene cyanol FF-Phenolphthalein mixture solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 6/22/2022 Revision date: 1/24/2023 SDS code: VB-20 Version: 02

Safety Data Sheet

1. Chemical product and company identification

Product name : Methyl orange-Xylene cyanol FF-Phenolphthalein mixture solution

SDS code : VB-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Health hazards

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases

Gases under pressure

Flammable liquids

Flammable solids

No classification

Category 2

No classification

Self-reactive substances and

mixtures

classification not possible

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible
Corrosive to metals classification not possible
Desensitized explosives classification not possible
Acute toxicity (oral) classification not possible
Acute toxicity (dermal) classification not possible

Acute toxicity (dermal) classification not possible classification not possible

Serious eye damage/eye irritation Category 2B

Respiratory sensitization classification not possible
Skin sensitization classification not possible
Germ cell mutagenicity classification not possible

Carcinogenicity Category 1A
Reproductive toxicity Category 1A

Specific target organ toxicity (single Category 3 (Narcosis)

exposure)

Specific target organ toxicity (single

exposure)

Category 3 (Respiratory tract irritation.)

Specific target organ toxicity

(repeated exposure)

Category 1 (liver)

Specific target organ toxicity

(repeated exposure)

Category 2 (central nervous system)

Aspiration hazard

Hazardous to the aquatic environment, short-term (acute) classification not possible classification not possible

Hazardous to the aquatic

environment, long-term (chronic)

classification not possible

Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)

Environmental

hazards







GHS02

GHS07

Danger

GHS08

Signal word (GHS JP)

Hazard statements (GHS JP)

Highly flammable liquid and vapor (H225)

Causes eye irritation (H320)

May cause respiratory irritation (H335) May cause drowsiness or dizziness (H336)

May cause cancer (H350)

May damage fertility or the unborn child (H360)

Causes damage to organs (liver) through prolonged or repeated exposure

May cause damage to organs (central nervous system) through prolonged

or repeated exposure (H373)

Precautionary statements (GHS JP)

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Use only outdoors or in a well-ventilated area. (P271)

Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

Get medical advice/attention if you feel unwell. (P314)

If eye irritation persists: Get medical advice/attention. (P337+P313) In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Storage

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Disposal

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		
			CSCL no	ISHL no	CAS RN
Methyl orange	About 0.13%	C14H14N3NaO3S	(5)-4278	Existing Chemical Substance	547-58-0
Phenolphthalein	About 0.39%	C20H14O4	(9)-1152	Existing Chemical Substance	77-09-8
Xylene cyanol FF	About 0.24%	C25H27N2NaO6S2	-	-	2650-17-1
Ethanol	About 62.89%	C2H5OH	(2)-202	Existing Chemical Substance	64-17-5
Water	About 36.35%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

ia

Do not use a heavy water stream.

Extremely flammable liquid and vapor.

Explosion hazard

Fire hazard

Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

: If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Light shielding airtight container.

Comply with applicable regulations. Technical measures

Storage temperature Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Ethanol	
Exposure limits (ACGIH)	TWA -,STEL 1000 ppm

Cover up tightly the generation source at the handling place or install local Appropriate engineering controls

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection Gas mask for organic gases Hand protection Impervious protective gloves

Protective glasses (general glasses, glasses with side-shields, goggles) Eye protection Impervious aprons, Impervious work clothing, Impervious long boots Skin and body protection

9. Physical and chemical properties

Physical state Liquid **Appearance** Liquid

Color : dark green
Odor : characteristic odor

pH : 4.7 (25°C)

Melting point No data available No data available Freezing point Boiling point No data available No data available Flash point Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 0.89 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts with strong oxidizing agents.

Conditions to avoid : Sunlight, heat. Ignition sources such as sparks, flames and static electricity.

Contact with strong oxidizing agents.

Incompatible materials : Strong oxidizing agents
Hazardous decomposition : Nitrogen oxides, Sulfur oxides

products

11. Toxicological information

Respiratory sensitization

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
classification not possible		
classification not possible		
vapors:classification not possible		
Gases:classification not possible		
dust, mist:classification not possible		
classification not possible		
Category 2B		
classification not possible		
classification not possible		
classification not possible		
Category 1A		
Category 1A		
Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)		
Category 1 Category 2		
classification not possible		
classification not possible		

classification not possible

Methyl orange	
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
Phenolphthalein	<u>L</u>
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
STOT-single exposure	classification not possible
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
	Gassincation not possible
Xylene cyanol FF	1
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	classification not possible
Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist)	classification not possible classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
	·
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
Ethanol	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2B
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)

Ethanol	
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.		
As a product		
Hazardous to the aquatic environment, short-term (acute)	classification not possible	
Hazardous to the aquatic environment, long-term (chronic)	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Methyl orange		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Phenolphthalein		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	No data available	
Xylene cyanol FF		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	

Xylene cyanol FF		
Hazardous to the ozone layer	classification not possible	
Ethanol		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1993

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 3 Hazard labels (IMDG) 3 Class (IMDG) 3 Special provision (IMDG) 274 Limited quantities (IMDG) 1 L Excepted quantities (IMDG) E2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T7

Tank special provisions (IMDG) : TP1, TP28, TP8

Stowage category (IMDG) : B MFAG-No : 127

Air transport(IATA)

UN-No. (IATA) : 1993

Proper Shipping Name (IATA) : Flammable liquid, n.o.s.

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3
Class (IATA) : 3
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net : 1L

quantity (IATA)

PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364

CAO max net quantity (IATA) : 60L Special provision (IATA) : A3 ERG code (IATA) : 3H

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law. Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 127

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law

: Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Ethanol (Ordinance number : 61) [New added substances on April 2024]

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

3,3-bis(4-hydroxyphenyl)-1,3-dihydroisobenzofuran-1-one (synonym:phenolphthalein) (Ordinance number : 457-4)

Japanese Poisonous and

Deleterious Substances Control Law

: Group 4 - Flammable liquids - Alcohols (Law Art.2 Para.7, Attached

Table 1, Group 4)

Not applicable

Air Pollution Control Law : Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Fire Service Law

Export Trade Control Ordinance appendix 1-16

: Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Flammable liquids (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Not applicable

16. Other information

Data sources : Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to

disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.