HPC

Safranine solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 4/3/2024 SDS code: VC-15 Version: 01

Safety Data Sheet

1. Chemical product and company identification

Product name : Safranine solution

SDS code : VC-15

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification
Gases under pressure No classification
Flammable liquids Category 3
Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

22000

Oxidizing liquids

gases

classification not possible

classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

Acute toxicity (dermal)

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification
Serious eye damage/eye irritation No classification

Respiratory sensitization classification not possible
Skin sensitization classification not possible
Germ cell mutagenicity classification not possible

Carcinogenicity Category 1A
Reproductive toxicity Category 1A
Specific target organ toxicity (single No classification

exposure)

1/8

Specific target organ toxicity

(repeated exposure)

Category 2 (liver)

classification not possible

classification not possible

classification not possible

Aspiration hazard

Hazardous to the aquatic

environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)

Environmental hazards





GHS02

GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Flammable liquid and vapor (H226)

May cause cancer (H350)

May damage fertility or the unborn child (H360)

May cause damage to organs (liver) through prolonged or repeated

exposure (H373)

Precautionary statements (GHS JP)

Prevention : Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Keep container tightly closed. (P233)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

Get medical advice/attention if you feel unwell. (P314)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Storage : Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|-----------|--------------------------------------|------------|--------------|-----------------------------------|-----------|
| Name | | | CSCL no | ISHL no | CASINI |
| Safranine | About 0.25% | C20H19CIN4 | (5)-1948 | Existing Chemical Substance | 477-73-6 |
| Ethanol | About 8.0% | C2H5OH | (2)-202 | Existing Chemical Substance | 64-17-5 |
| Water | About 91.75% | H2O | - | - | 7732-18-5 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eve

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Do NOT induce vomiting. First-aid measures after ingestion

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream. Extremely flammable liquid and vapor.

Fire hazard Explosion hazard

Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

: Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid
Color : dark red

Odor : characteristic odor

pH : 7.2 (25°C)

Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Auto-ignition temperature No data available Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available Density 0.99 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts with strong oxidizing agents.

Conditions to avoid : Sunlight, heat. Ignition sources such as sparks, flames and static electricity.

Contact with strong oxidizing agents.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition : Nitrogen oxides, Chlorine compounds

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | d on the "GHS Classification Results" by NITE. |
|---|--|
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (inhalation) | vapors:No classification |
| , | Gases:No classification |
| | dust, mist:classification not possible |
| Skin corrosion/irritation | No classification |
| Serious eye damage/irritation Respiratory sensitization | No classification classification not possible |
| Skin sensitization | classification not possible |
| Germ cell mutagenicity | classification not possible |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1A |
| STOT-single exposure | No classification |
| STOT-repeated exposure | Category 2 |
| Aspiration hazard | classification not possible |
| Safranine | |
| Acute toxicity (oral) | No data available |
| Acute toxicity (dermal) | No data available |
| Acute toxicity (gas) | No data available |
| Acute toxicity (vapour) | No data available |
| Acute toxicity (inhalation:dust/mist) | No data available |
| Skin corrosion/irritation | No data available |
| Serious eye damage/irritation | No data available |
| Respiratory sensitization | No data available |
| Skin sensitization | No data available |
| Germ cell mutagenicity | No data available |
| Carcinogenicity | No data available |
| Reproductive toxicity | No data available |
| STOT-single exposure | No data available |
| STOT-repeated exposure | No data available |
| Aspiration hazard | No data available |
| Ethanol | |
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation | No classification |
| Serious eye damage/irritation | Category 2B |
| Respiratory sensitization | classification not possible |
| Skin sensitization | classification not possible |
| Germ cell mutagenicity | classification not possible |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1A |
| STOT-single exposure | Category 3 (Narcosis) Category 3 (Respiratory tract irritation.) |
| STOT-repeated exposure | Category 1 Category 2 |
| Aspiration hazard | classification not possible |
| Water | |
| Acute toxicity (oral) | No classification |
| , \ / | |

| Hayashi Pure | Chemical | Ind.,Ltd |
|--------------|----------|----------|
| | | |

| Water | |
|---------------------------------------|-------------------|
| Acute toxicity (dermal) | No classification |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | No classification |
| Skin corrosion/irritation | No classification |
| Serious eye damage/irritation | No classification |
| Respiratory sensitization | No classification |
| Skin sensitization | No classification |
| Germ cell mutagenicity | No classification |
| Carcinogenicity | No classification |
| Reproductive toxicity | No classification |
| STOT-single exposure | No classification |
| STOT-repeated exposure | No classification |
| Aspiration hazard | No classification |

12. Ecological informationThe information in this section is based

| The information in this section is based of | on the "GHS Classification Results" by NITE. |
|--|---|
| As a product | |
| Hazardous to the aquatic environment, short-term (acute) | classification not possible |
| Hazardous to the aquatic environment, long-term (chronic) | classification not possible |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Ozone | classification not possible |
| Safranine | |
| Hazardous to Aquatic Environment - Acute Hazard | No data available |
| Hazardous to Aquatic Environment - Chronic Hazard | No data available |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | No data available |
| | |
| Ethanol | |
| Ethanol Hazardous to Aquatic Environment - Acute Hazard | No classification |
| Hazardous to Aquatic Environment - | No classification No classification |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - | |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability | No classification No data available |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential | No classification No data available No data available |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential Mobility in soil | No classification No data available No data available No data available |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential Mobility in soil Hazardous to the ozone layer | No classification No data available No data available No data available |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential Mobility in soil Hazardous to the ozone layer Water Hazardous to Aquatic Environment - | No classification No data available No data available No data available classification not possible |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential Mobility in soil Hazardous to the ozone layer Water Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - | No classification No data available No data available No data available classification not possible No classification |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential Mobility in soil Hazardous to the ozone layer Water Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard | No classification No data available No data available No data available classification not possible No classification No classification |
| Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability Bioaccumulative potential Mobility in soil Hazardous to the ozone layer Water Hazardous to Aquatic Environment - Acute Hazard Hazardous to Aquatic Environment - Chronic Hazard Persistence and degradability | No classification No data available No data available No data available classification not possible No classification No classification No data available |

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1993

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 3
Hazard labels (IMDG) : 3
Class (IMDG) : 3

Special provision (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

Stowage category (IMDG) : A MFAG-No : 127

Air transport(IATA)

UN-No. (IATA) : 1993

Proper Shipping Name (IATA) : Flammable liquid, n.o.s.

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3
Class (IATA) : 3
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net : 10L

quantity (IATA)

PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provision (IATA) : A3
ERG code (IATA) : 3L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law. Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 127

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Ethanol

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Japanese Poisonous and

Deleterious Substances Control Law

: Not applicable

Fire Service Law : Not applicable

8/8

SDS code: VC-15 Version: 01

Air Pollution Control Law : Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)

Foreign Exchange and Foreign : Export Trade Control Ordinance appendix 1-16 Trade Control Act

Ship Safety Act : Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Flammable liquids (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Waste Management on Public : Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)

Japanese Pollutant Release and : Not applicable Transfer Register Law (PRTR Law)

16. Other information

Data sources : Handbook of 17524 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.