

Acetocarmine solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 4/5/2017 Revision date: 7/14/2023 SDS code: W4-14 Version: 04

Safety Data Sheet

1. Chemical product and company identification

Product name Acetocarmine solution

SDS code W4-14

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Health hazards

Physical hazards **Explosives** classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

Desensitized explosives

gases

Oxidizing liquids classification not possible

classification not possible

classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible Acute toxicity (inhalation:gas) classification not possible Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single Category 1 (blood, respiratory system)

exposure)

Specific target organ toxicity

(repeated exposure)

classification not possible

Category 3

classification not possible

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

classification not possible

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS05

GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

Causes damage to organs (blood, respiratory system) (H370)

Harmful to aquatic life (H402)

Precautionary statements (GHS JP)

Prevention : Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Storage : Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|-------------|--------------------------------------|---------|--------------|-----------------------------------|-----------|
| | | | CSCL no | ISHL no | CASIKI |
| Acetic acid | 36-40% | СНЗСООН | (2)-688 | Existing Chemical Substance | 64-19-7 |
| Carmine | Undisclosed | - | = | = | 1390-65-4 |
| Water | Balance | H2O | - | - | 7732-18-5 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Revision date: 7/14/2023

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eve

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Do NOT induce vomiting. Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

First-aid measures after ingestion

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

Firefighting instructions

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

7. Handling and storage

Handling

Technical measures Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

Light shielding airtight container.

packaging/containers Technical measures

Comply with applicable regulations.

Storage temperature Cool and dark place

8. Exposure controls / Personal protection equipment

| Exposure limit values | | |
|-------------------------|------------------------|--|
| Acetic acid | | |
| Exposure limits (JSOH) | 10ppm(25mg/m3) | |
| Exposure limits (ACGIH) | TWA 10 ppm,STEL 15 ppm | |

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles) Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state Liquid **Appearance** Liquid Color red

Odor Acetic acid odor

рΗ acidic

Melting point No data available Freezing point No data available No data available Boiling point Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density No data available Relative gas density No data available Solubility No data available Partition coefficient n-No data available octanol/water (Log Pow) No data available Explosive limits (vol %) No data available Viscosity, kinematic Particle characteristics No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : May react with bases and oxidizing agents.

Conditions to avoid : Sunlight, heat. Contact with bases and oxidizing agents.

Incompatible materials : Bases, Oxidizing agents

Hazardous decomposition : No data available

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | on the GHS Classification Results by NITE. |
|--|---|
| Acute toxicity (oral) | classification not possible |
| Acute toxicity (dermal) | classification not possible |
| Acute toxicity (inhalation) | vapors:classification not possible |
| , , | Gases:classification not possible |
| | dust, mist:classification not possible |
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/irritation | Category 1 |
| Respiratory sensitization Skin sensitization | classification not possible |
| Germ cell mutagenicity | classification not possible classification not possible |
| Carcinogenicity | classification not possible |
| Reproductive toxicity | classification not possible |
| STOT-single exposure | Category 1 |
| STOT-repeated exposure | classification not possible |
| Aspiration hazard | classification not possible |
| Acetic acid | |
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | Category 4 |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | classification not possible |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/irritation | Category 1 |
| Respiratory sensitization | classification not possible |
| Skin sensitization | • |
| | classification not possible |
| Germ cell mutagenicity | classification not possible |
| Carcinogenicity | classification not possible |
| Reproductive toxicity | classification not possible |
| STOT-single exposure | Category 1 |
| STOT-repeated exposure | classification not possible |
| Aspiration hazard | classification not possible |
| Carmine | |
| Acute toxicity (oral) | No data available |
| Acute toxicity (dermal) | No data available |
| Acute toxicity (gas) | No data available |
| Acute toxicity (vapour) | No data available |
| Acute toxicity (inhalation:dust/mist) | No data available |
| Skin corrosion/irritation | No data available |
| Serious eye damage/irritation | No data available |
| Respiratory sensitization | No data available |
| Skin sensitization | No data available |
| Germ cell mutagenicity | No data available |
| Carcinogenicity | No data available |
| Reproductive toxicity | No data available |
| STOT-single exposure | No data available |
| STOT-repeated exposure | No data available |

| Carmine | | |
|---------------------------------------|-------------------|--|
| Aspiration hazard | No data available | |
| Water | | |
| Acute toxicity (oral) | No classification | |
| Acute toxicity (dermal) | No classification | |
| Acute toxicity (gas) | No classification | |
| Acute toxicity (vapour) | No classification | |
| Acute toxicity (inhalation:dust/mist) | No classification | |
| Skin corrosion/irritation | No classification | |
| Serious eye damage/irritation | No classification | |
| Respiratory sensitization | No classification | |
| Skin sensitization | No classification | |
| Germ cell mutagenicity | No classification | |
| Carcinogenicity | No classification | |
| Reproductive toxicity | No classification | |
| STOT-single exposure | No classification | |
| STOT-repeated exposure | No classification | |
| Aspiration hazard | No classification | |

12. Ecological information

| · = · = · · · · · · · · · · · · · · · · | |
|--|--|
| The information in this section is based of | on the "GHS Classification Results" by NITE. |
| As a product | |
| Hazardous to the aquatic environment, | Category 3 |
| short-term (acute) | |
| Hazardous to the aquatic environment, | classification not possible |
| long-term (chronic) | |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Ozone | classification not possible |
| Acetic acid | |
| Hazardous to Aquatic Environment - Acute Hazard | Category 3 |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |
| Carmine | |
| Hazardous to Aquatic Environment - Acute Hazard | No data available |
| Hazardous to Aquatic Environment - Chronic Hazard | No data available |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | No data available |
| Water | |
| Hazardous to Aquatic Environment - Acute Hazard | No classification |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| | |
| Mobility in soil | No data available |

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 3265

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8
Class (IMDG) : 8

Special provision (IMDG) : 223, 274
Packing instructions (IMDG) : P001, LP01
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28

Stowage category (IMDG) : A

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

MFAG-No : 15

Air transport(IATA)

UN-No. (IATA) : 3265

Proper Shipping Name (IATA) : Corrosive liquid, acidic, organic, n.o.s.

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net : 1L

quantity (IATA)

PCA packing instructions (IATA) : 852
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provision (IATA) : A3, A803
ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 153

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Acetic acid (Ordinance number: 176)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Japanese Poisonous and

Deleterious Substances Control Law

: Not applicable

Fire Service Law : Not applicable

Revision date: 7/14/2023 SDS code: W4-14 Version: 04

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Corrosive substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Waste Management on Public

Cleansing Law

: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

: Not applicable

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance. the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.