

Hayashi Pure Chemical Ind.,Ltd. Revision date: 6/1/2023

Date of issue: 9/29/2021

SDS code: W8-19

Version: 02

Safety Data Sheet

1. Chemical product and company identification

-		
Product name	:	Simazine-d ₁₀ solution
SDS code	:	W8-19
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirand Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@h URL : https://www.hpc-j.co.	oma pc-j	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use for any purpose other than research and experiment. Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc. Do not use in the environment.

2. Hazards identification

GHS classification

GHS classification		
Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	Category 2
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	No classification
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	No classification
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	classification not possible
	Serious eye damage/eye irritation	Category 2
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	Category 1 (central nervous system, visual organ, systemic toxicity)

	Specific targ exposure)	get organ toxicity (sing	e Category 3 (Narcosis)
	Specific targ	get organ toxicity kposure)	Category 1 (central nervous system, visual organ)
	Aspiration h	azard	classification not possible
nvironmental azards		to the aquatic t, short-term (acute)	No classification
		to the aquatic t, long-term (chronic)	No classification
	Hazardous	to the ozone layer	classification not possible
Hazard pictograms (GHS JP)			
	GHS02	GHS07	GHS08
Signal word (GHS J	P)	: Danger	
Hazard statements		Harmful if swall Causes serious May cause dro May damage fe Causes damag toxicity) (H370) Causes damag	le liquid and vapor (H225) owed (H302) eye irritation (H319) wsiness or dizziness (H336) rtility or the unborn child (H360) e to organs (central nervous system, visual organ, system e to organs (central nervous system, visual organ) through peated exposure (H372)
Precautionary state	ments (GHS JP		
Prevention		Do not handle o (P202) Keep away fror sources. No sm Ground and bo Use explosion- Use only non-s Take action to Do not breathe Wash hands, fo Do not eat, drin Use only outdo	nstructions before use. (P201) until all safety precautions have been read and understood in heat, hot surfaces, sparks, open flames and other ignitic toking. (P210) ind container and receiving equipment. (P240) proof electrical/ventilating/lighting equipment. (P241) parking tools. (P242) prevent static discharges. (P243) dust/fume/gas/mist/vapors/spray. (P260) prearms and face thoroughly after handling. (P264) k or smoke when using this product. (P270) protective clothing/eye protection/face protection.
Response		(P301+P312) IF ON SKIN (or Rinse skin with IF INHALED: R breathing (P30- IF IN EYES: Ri contact lenses, (P305+P351+F IF exposed or o (P308+P311) Get medical ad Rinse mouth. (I If eye irritation)	nse cautiously with water for several minutes. Remove if present and easy to do. Continue rinsing. 338) concerned: Call a POISON CENTER or doctor. vice/attention if you feel unwell. (P314)
Storage		: Store in a well- (P403+P233)	ventilated place. Keep container tightly closed.
Disposal		: Dispose of con	ents/container to hazardous or special waste collection ance with local, regional, national and/or international

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or	Formula	Kanpo	CAS RN	
Name	Concentration range	ronnula	CSCL no	ISHL no	
Methanol	≧98%	СНЗОН	(2)-201	Existing Chemical Substance	67-56-1
Simazine-d10	About 0.013%	C7H2D10CIN5	(5)-3846	Existing Chemical Substance	220621-39-6

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	:	Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Fire hazard	:	Extremely flammable liquid and vapor.
Explosion hazard	:	Danger of the steam explosion in indoor, outdoor, sewer.
		May induce explosion of containers by heating.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equ	ipment and Emergency Procedures		
General measures :	: Before entering, ventilate the area.		
	Do not let unauthorized persons come close to the area.		
	Immediately place the leakage area in isolation, with taking proper distances for all directions.		
	Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.		
Environmental precautions			
Environmental precautions :	: Avoid release to the environment.		
	Prevent entry to sewers and public waters.		

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up		Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible.
		Wash out the spilled area with large amounts of water.
7 Handling and storage		

7. Handling and storage

Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
		Take precautionary measures against static discharge.
		Use explosion-proof equipment.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Freeze: -20°C

8. Exposure controls / Personal protection equipment

Exposure limit values			
Methanol			
Japan administration level	200ppm		
Exposure limits (JSOH)	200ppm(260mg/m3)(skin)		
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)		
Simazine			
Exposure limits (ACGIH)	TWA 0.5 mg/m3(I),STEL - A3		
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install loca exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.		
Protective equipment			
Respiratory protection	: Gas mask for organic gases		
Hand protection	: Impervious protective gloves		
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)		
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots		

9. Physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid
Color	:	No data available
Odor	:	No data available
рН	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	64.7 °C (as methanol)
Flash point	:	12 °C (as methanol, tag closed cup)

Revision date: 6/1/2023

:	No data available
:	No data available
:	0.79 g/cm ³ (as methanol)
:	No data available
	•

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Heating decomposes and generates formaldehyde. Reacts violently with oxidizing agents and poses a risk of fire and explosion. Mixing with hydrogen peroxide causes explosion by impact. May corrode aluminium and lead.
Conditions to avoid	:	Sunlight, heat. Ignition sources such as flame, spark and static electricity. Contact with oxidizing agents, acids, reducing agents and metals.
Incompatible materials	:	Oxidizing agents, Acids, Reducing agents, Metals
Hazardous decomposition products	:	Formaldehyde

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
	vapors:No classification
	Gases:No classification
	dust, mist:classification not possible
	classification not possible
	Category 2
	classification not possible
	Category 1B
	Category 1 Category 3 (Narcosis)
	Category 1 classification not possible
Methanol	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)

Revision date: 6/1/2023

Methanol	
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Simazine	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2B
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Hazardous to the aquatic environment, short-term (acute)	No classification	
Hazardous to the aquatic environment, long-term (chronic)	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Methanol		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Simazine		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

Revision date: 6/1/2023

14. Transport information

International Regulations

Transport by sea(IMDG)	

 1993 FLAMMABLE LIQUID, N.O.S. II 3 3 3 274 1 L E2
: P001 : IBC02 : T7
TP1, TP28, TP8 B
: 127
: 1993 : Flammable liquid, n.o.s. : II : 3 : 3 : 3
: E2 : Y341 : 1L
: 353 : 5L : 364 : 60L : A3 : 3H
: Not applicable
 Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law. 127 When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law	:	Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning, Art.1, Para.1, Item 4) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Methanol (Ordinance number : 560) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
Japanese Poisonous and Deleterious Substances Control Law	:	Not applicable
Water Pollution Prevention Law	:	Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law	:	Group 4 - Flammable liquids - Alcohols (Law Art.2 Para.7, Attached Table 1, Group 4)
Air Pollution Control Law	:	Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice
Foreign Evolution and Foreign		to Prefectures)
Foreign Exchange and Foreign Trade Control Act	•	Export Trade Control Order, Attached Table 1 Para.2 Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	:	Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Sewerage Law	:	Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Not applicable
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)
Soil Contamination Countermeasures Law	:	Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1)
16. Other information		
Data sources	:	Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	:	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.