

## 0.2mol/L(N/5) Hydrochloric acid, ethanolic

## Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 11/6/2017 Revision date: 7/13/2023 SDS code: X1-04 Version: 05

## Safety Data Sheet

### 1. Chemical product and company identification

0.2mol/L(N/5) Hydrochloric acid, ethanolic **Product name** 

SDS code X1-04

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

### 2. Hazards identification

#### **GHS** classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids Category 2 Flammable solids No classification

Self-reactive substances and

No classification

mixtures

Pyrophoric liquids No classification Pyrophoric solids No classification

Self-heating substances and

classification not possible

mixtures

Substances and mixtures which in

contact with water emit flammable

No classification

gases

Oxidizing liquids No classification Oxidizing solids No classification Organic peroxides No classification Corrosive to metals Category 1

Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) No classification Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible

Carcinogenicity Category 1A Reproductive toxicity Category 1A

Specific target organ toxicity (single Category 3 (Narcosis)

exposure)

Revision date: 7/13/2023 SDS code: X1-04 Version: 05

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

exposure)

Specific target organ toxicity

(repeated exposure) Specific target organ toxicity

(repeated exposure)

Category 2 (central nervous system)

Aspiration hazard

classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute) Category 3

Hazardous to the aquatic

environment, long-term (chronic)

No classification

Category 1 (liver)

Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)









GHS02

GHS05

GHS07 GHS08

Signal word (GHS JP)

Danger

Hazard statements (GHS JP)

Highly flammable liquid and vapor (H225)

May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

May cause respiratory irritation (H335) May cause drowsiness or dizziness (H336)

May cause cancer (H350)

May damage fertility or the unborn child (H360)

Causes damage to organs (liver) through prolonged or repeated exposure

(H372)

May cause damage to organs (central nervous system) through prolonged

or repeated exposure (H373) Harmful to aquatic life (H402)

Precautionary statements (GHS JP)

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Keep only in original container. (P234)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243) Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314) Wash contaminated clothing before reuse. (P363)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Absorb spillage to prevent material-damage. (P390)

Revision date: 7/13/2023 SDS code: X1-04 Version: 0.5

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

## 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
Hallic			CSCL no	ISHL no	CAS KIN
Hydrogen chloride	About 0.9%	HCI	(1)-215	Existing Chemical Substance	7647-01-0
Ethanol	≧95%	C2H5OH	(2)-202	Existing Chemical Substance	64-17-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Highly flammable liquid and vapor.

Fire hazard Explosion hazard

Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

# Revision date: 7/13/2023 SDS code: X1-04 Version: 0.5

#### 6. Accidental release measures

## Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

## 7. Handling and storage

#### Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

# 8. Exposure controls / Personal protection equipment

Exposure limit values	
Hydrogen chloride	
Exposure limits (JSOH)	[Ceiling]2ppm(3.0mg/m3)
Exposure limits (ACGIH)	TWA -,STEL C 2 ppm
Ethanol	
Exposure limits (ACGIH)	TWA -,STEL 1000 ppm

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases, Gas mask for organic gases

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

Revision date: 7/13/2023 SDS code: X1-04 Version: 05

## 9. Physical and chemical properties

Physical state Liquid Appearance Liquid

Color colorless transparent Odor characteristic odor

рΗ ≤ 1 (25°C)

Melting point No data available Freezing point No data available Boiling point 78.3 °C (as ethanol) Flash point 12.8 °C (as ethanol) No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 0.80 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

## 10. Stability and reactivity

Reactivity No data available

Stable under normal handling conditions. May be colored during storage. Chemical stability

Vapors mix well with air and easy to form explosive mixtures. Be a strong Possibility of hazardous reactions acid, reacts with bases. Contact with oxidizing agents generates heat and

ignites. Reacts with many kinds of metals to evolve flammable and

explosive hydrogen gas.

Conditions to avoid Sunlight, heat. Ignition sources such as spark, flame and static electricity.

Contact with bases, oxidizing agents and metals.

Incompatible materials Bases, Oxidizing agents, Metals

Hazardous decomposition Hydrogen chloride, Chlorine, Hydrogen

products

## 11. Toxicological information

As a product	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (inhalation)	vapors:classification not possible
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible
Hydrogen chloride	

Hydrogen chloride	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	Category 3

Hydrogen chloride	
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	No classification
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	No classification
Ethanol	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2B
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE

The information in this section is based of	on the "GHS Classification Results" by NTE.
As a product	
Hazardous to the aquatic environment, short-term (acute)	Category 3
Hazardous to the aquatic environment, long-term (chronic)	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
Hydrogen chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Ethanol	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available

Revision date: 7/13/2023 SDS code: X1-04

Version:	05
V CI SIOII.	UU.

Ethanol	
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

### 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and : Empty the packaging completely prior to disposal.

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

## 14. Transport information

#### International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 2924

Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Packing group (IMDG) : II

Transport hazard class(es) (IMDG) : 3 (8)

Hazard labels (IMDG) : 3,8

Class (IMDG) : 3

Subsidiary hazard (IMDG) : 8

Special provision (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T11
Tank special provisions (IMDG) : TP2, TP27

Stowage category (IMDG) : B

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

MFAG-No : 132

Air transport(IATA)

UN-No. (IATA) : 2924

Proper Shipping Name (IATA) : Flammable liquid, corrosive, n.o.s.

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 3 (8)
Hazard labels (IATA) : 3, 8
Class (IATA) : 3

Class (IATA) : 3

Subsidiary hazards (IATA) : 8

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y340

PCA limited quantity max net : 0.5L

quantity (IATA)

PCA packing instructions (IATA) : 352
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 363
CAO max net quantity (IATA) : 5L
Special provision (IATA) : A3, A803
ERG code (IATA) : 3CH

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 132

**Special transport precautions**: When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

#### **National law**

Industrial Safety and Health Law

Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Ethanol (Ordinance number: 61)

Hydrogen chloride (Ordinance number: 98)

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law Group 4 - Flammable liquids - Alcohols (Law Art.2 Para.7, Attached

Table 1, Group 4)

Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Air Pollution Control Law

Article 1 of the Enforcement Ordinance)

Specified substances (Article 17, Paragraph 1 of the Law, Article 10

of the Enforcement Ordinance)

Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Noxious Liquid Substances - Category Z (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 3)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Export Trade Control Ordinance appendix 1-16

Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law Flammable liquids (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, Port Regulation Law

notice attached table that defines the type of dangerous goods)

Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Road Act

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Not applicable

Labor Standards Act Chemical Substances Causing Occupational Illnesses (Act Art.75.

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

### 16. Other information

Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. Data sources

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. Other information

> This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws

> > 8/9

Revision date: 7/13/2023

and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.