

0.08mol/L Cobalt(II) chloride solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 1/20/2021 Revision date: 12/21/2022 SDS c

SDS code: XA-17

Version: 02

Safety Data Sheet

1. Chemical product and company identification

Product name	:	0.08mol/L Cobalt(II) chloride solution
SDS code	:	XA-17
Company/undertaking identification HAYASHI PURE CHEMICA Address : 3-2-12 Uchihiran Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@h URL : https://www.hpc-j.co	ioma npc-j	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	classification not possible
-	Flammable gases	No classification
	Aerosol	classification not possible
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	classification not possible
	Flammable solids	No classification
	Self-reactive substances and mixtures	classification not possible
	Pyrophoric liquids	classification not possible
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	classification not possible
	Oxidizing solids	No classification
	Organic peroxides	classification not possible
	Corrosive to metals	Category 1
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	No classification
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	Category 1
	Skin sensitization	Category 1
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	Category 2 (central nervous system, digestive tract, liver, kidneys)

Environmental hazards	Specific target organ toxicity (repeated exposure) Aspiration hazard Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Hazardous to the ozone layer		Category 2 (nervous system, respiratory system, cardiovascular system, thyroid gland, blood system) classification not possible Category 3 No classification classification not possible		
Hazard pictograms (GHS JP)					
	GHS05	GHS08			
Signal word (GHS JP)) :	Danger			
Hazard statements (G	SHS JP) :	May cause an alle May cause an alle inhaled (H334) Suspected of caus Suspected of caus May damage fertil May cause damag liver, kidneys) (H3 May cause damag	kin burns and eye damage (H314) ergic skin reaction (H317) ergy or asthma symptoms or breathing difficulties if sing genetic defects (H341) sing cancer (H351) lity or the unborn child (H360) ge to organs (central nervous system, digestive tract, 871) ge to organs (nervous system, respiratory system, stem, thyroid gland, blood system) through prolonged or e (H373)		
Precautionary stateme	ents (GHS JP)				
Prevention	:	Do not handle unt (P202) Keep only in origin Do not breathe du Wash hands, fore Do not eat, drink of Contaminated wo (P272) Avoid release to th	structions before use. (P201) iil all safety precautions have been read and understood. nal container. (P234) ust/fume/gas/mist/vapors/spray. (P260) arms and face thoroughly after handling. (P264) or smoke when using this product. (P270) rk clothing should not be allowed out of the workplace. he environment. (P273) loves/protective clothing/eye protection/face protection. protection. (P284)		
Response	:	IF SWALLOWED: (P301+P330+P33) IF ON SKIN (or ha Rinse skin with wa IF INHALED: Rem breathing (P304+I IF IN EYES: Rinse contact lenses, if (P305+P351+P33) IF exposed or con (P308+P311) Immediately call a Get medical advice If skin irritation or If experiencing res (P342+P311) Take off contamin	Rinse mouth. Do NOT induce vomiting. (1) (air): Take off immediately all contaminated clothing. (P303+P361+P353) nove person to fresh air and keep comfortable for (P340) (P340) (P340) (P340) (P340) (P340) (P340) (P340) (P340) (P310) (P314) (P314) (P314) (P333+P313) (P314) (P333+P313) (P314) (P333+P313) (P314) (P314) (P333+P313) (P314) (P314) (P333+P313) (P314) (P314) (P333+P313) (P314) (P314) (P314) (P314) (P314) (P333+P313) (P314) (P314) (P314) (P314) (P314) (P333+P313) (P314)		
Jonago			resistant container with a resistant inner liner. (P406)		
Disposal	:		nts/container to hazardous or special waste collection ice with local, regional, national and/or international		

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

	Concentration or		Kanpo		
Name	Concentration range	Formula	CSCL no	ISHL no	CAS RN
Cobalt(II) chloride	About 1.0%	CoCl2	(1)-207	Existing Chemical Substance	7646-79-9
Hydrogen chloride	About 0.4%	HCI	(1)-215	Existing Chemical Substance	7647-01-0
Water	About 98.6%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

:	Remove person to fresh air and keep comfortable for breathing.
	Get immediate medical advice/attention.
:	Remove/Take off immediately all contaminated clothing.
	Gently wash with plenty of soap and water.
	Get immediate medical advice/attention.
:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Get immediate medical advice/attention.
:	Do NOT induce vomiting.
	Drink plenty of water.
	Rinse mouth.
	Get immediate medical advice/attention.
	: :

5. Fire fighting measures

Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Explosion hazard	:	May induce explosion of containers by heating.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Avoid (reject) fire-fighting water to enter environment.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures	:	Before entering, ventilate the area.
		Do not let unauthorized persons come close to the area.
		Immediately place the leakage area in isolation, with taking proper distances for all directions.
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions	
Environmental precautions	Avoid release to the environment.
	Prevent entry to sewers and public waters.
Methods and Equipment for Contain	ment and Cleaning up
Methods for cleaning up	Clean up any spills as soon as possible, using an absorbent material to collect it.
	Collect leaking and spilled liquid in sealable containers as far as possible. Wash out the spilled area with large amounts of water.
	If possible, neutralize with slaked lime, soda ash, etc. before washing out.
7. Handling and storage	
Handling	
Technical measures	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
	Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	Do not eat, drink or smoke when using this product.
	Thoroughly wash your hands and gargle after handling.
	Ensure good ventilation of the work station.
	Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	Avoid prolonged or repeated exposure.
Storage	
Storage conditions	Store locked up.
	Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
	Store in corrosive resistant container with a resistant inner liner.
Material used in packaging/containers	Airtight container.
Technical measures	Comply with applicable regulations.
Storage temperature	Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Cobalt(II) chloride	
Japan administration level	0.02mg/m3(as Co)
Exposure limits (JSOH)	0.05mg/m3(as Co)
Hydrogen chloride	
Exposure limits (JSOH)	[Ceiling]2ppm(3.0mg/m3)
Exposure limits (ACGIH)	TWA -,STEL C 2 ppm
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.
Protective equipment	
Respiratory protection	: Gas mask for acid gases
Hand protection	: Impervious protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Impervious aprons, Impervious work clothing, Protective long boots

9. Physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid
Color	:	lightcrimson
Odor	:	Odorless
рН	:	≤ 1 (25°C)
Melting point	:	No data available

Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	1.01 g/cm3 (20°C)
Relative gas density	:	No data available
Solubility	:	No data available
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Be strong acid, it reacts with bases. Reacts with oxidizing agents to generate toxic chlorine gas. When heated, it generates toxic hydrogen chloride gas. Reacts with many kinds of metals to generate flammable/explosive hydrogen gas.
Conditions to avoid	:	Sunlight, heat. Contact with bases, oxidizing agents, organic peroxides and metals.
Incompatible materials	:	Bases, Oxidizing agents, Organic peroxides, Metals
Hazardous decomposition products	:	Hydrogen chloride, Chlorine, Hydrogen

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
STOT-single exposure	Category 2
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible
Cobalt(II) chloride	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 2
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2

Cobalt(II) chlorideCarcinogenicityCategory 2Reproductive toxicityCategory 1BSTOT-single exposureCategory 1 Category 3 (Respiratory tract irritation.)STOT-repeated exposureCategory 1 Category 2Aspiration hazardclassification not possibleHydrogen chlorideAcute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
STOT-single exposureCategory 1 Category 3 (Respiratory tract irritation.)STOT-repeated exposureCategory 1 Category 2Aspiration hazardclassification not possibleHydrogen chlorideAcute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 3Acute toxicity (inhalation:dust/mist)Category 1Serious eye damage/irritationCategory 1
STOT-repeated exposureCategory 1 Category 2Aspiration hazardclassification not possibleHydrogen chlorideAcute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Aspiration hazardclassification not possibleHydrogen chlorideAcute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Hydrogen chlorideAcute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Acute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Acute toxicity (oral)Category 3Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Acute toxicity (dermal)No classificationAcute toxicity (gas)Category 3Acute toxicity (vapour)classification not possibleAcute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Acute toxicity (vapour) classification not possible Acute toxicity (inhalation:dust/mist) Category 2 Skin corrosion/irritation Category 1 Serious eye damage/irritation Category 1
Acute toxicity (inhalation:dust/mist)Category 2Skin corrosion/irritationCategory 1Serious eye damage/irritationCategory 1
Skin corrosion/irritation Category 1 Serious eye damage/irritation Category 1
Serious eye damage/irritation Category 1
Respiratory sensitization Category 1
Skin sensitization No classification
Germ cell mutagenicity classification not possible
Carcinogenicity No classification
Reproductive toxicity classification not possible
STOT-single exposure Category 1
STOT-repeated exposure Category 1
Aspiration hazard No classification
Water
Acute toxicity (oral) No classification
Acute toxicity (dermal) No classification
Acute toxicity (gas) No classification
Acute toxicity (vapour) No classification
Acute toxicity (inhalation:dust/mist) No classification
Skin corrosion/irritation No classification
Serious eye damage/irritation No classification
Respiratory sensitization No classification
Skin sensitization No classification
Germ cell mutagenicity No classification
Carcinogenicity No classification
Reproductive toxicity No classification
STOT-single exposure No classification
STOT-repeated exposure No classification
Aspiration hazard No classification

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product			
Hazardous to the aquatic environment, short-term (acute)	Category 3		
Hazardous to the aquatic environment, long-term (chronic)	No classification		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Ozone	classification not possible		
Cobalt(II) chloride			
Hazardous to Aquatic Environment - Acute Hazard	Category 1		
Hazardous to Aquatic Environment - Chronic Hazard	Category 1		
Persistence and degradability	No data available		

Cobalt(II) chloride	
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Hydrogen chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)	
------------------------	--

UN-No. (IMDG) Proper Shipping Name (IMDG) Packing group (IMDG) Transport hazard class(es) (IMDG) Hazard labels (IMDG) Class (IMDG)	: : : : : : : : : : : : : : : : : : : :	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. II 8 8 8
Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG) Properties and observations (IMDG) MFAG-No		274 1 L E2 P001 IBC02 T11 TP2, TP27 B Causes burns to skin, eyes and mucous membranes. 154
Air transport(IATA)		
UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA) Class (IATA) PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA)		3264 Corrosive liquid, acidic, inorganic, n.o.s. II 8 8 8 8 E2 Y840 0.5L
PCA packing instructions (IATA)	:	851

PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provision (IATA)	: A3, A803
ERG code (IATA)	: 8L
Marine pollutant	: Not applicable
Regulations in Japan Regulatory information by sea Regulatory information by air MFAG-No Special transport precautions	 Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law. 154 When transporting, load containers so that they do not tip over,

: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law	
Industrial Safety and Health Law	 Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Cobalt and its compounds (Ordinance number : 172) Hydrogen chloride (Ordinance on Industrial Safety and Health Law Art. 326) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on Special medical examination, Past handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2) Substances on dental health checkup (Act, Art.66, Para.3, Enforcement Order, Art.22 Item 3)
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Water Pollution Prevention Law	: Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	: Not applicable
Air Pollution Control Law	 Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Article 1 of the Enforcement Ordinance) Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Hazardous Air Pollutants (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Corrosive substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Waste Management on Public Cleansing Law	: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Not applicable
Labor Standards Act	 Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1,MHLW Nortification No.36 of 1978 Sensitizers (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4, Labor Standard Bureau Notice No.182 of 1986

16. Other information

Data sources :	Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information :	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.