

Safety Data Sheet**1. Chemical product and company identification****Product name** : Naphthalene-d₈**SDS code** : XC-02**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use for any purpose other than research and experiment. Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc. Do not use in the environment.**2. Hazards identification****GHS classification**

Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	No classification
	Flammable solids	Category 2
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
	Acute toxicity (oral)	Category 4
Health hazards	Acute toxicity (dermal)	No classification
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	No classification
	Serious eye damage/eye irritation	Category 2B
	Respiratory sensitization	classification not possible
	Skin sensitization	Category 1
	Germ cell mutagenicity	No classification
	Carcinogenicity	Category 2
	Reproductive toxicity	classification not possible
	Specific target organ toxicity (single exposure)	Category 1 (blood, eyes, respiratory tract)

Environmental hazards	Specific target organ toxicity (repeated exposure)	Category 1 (blood, eyes, respiratory system)		
	Aspiration hazard	classification not possible		
	Hazardous to the aquatic environment, short-term (acute)	Category 1		
	Hazardous to the aquatic environment, long-term (chronic)	Category 1		
	Hazardous to the ozone layer	classification not possible		
Hazard pictograms (GHS JP)	 GHS02	 GHS07	 GHS08	 GHS09
Signal word (GHS JP)	: Danger			
Hazard statements (GHS JP)	: Flammable solid (H228) Harmful if swallowed (H302) May cause an allergic skin reaction (H317) Causes eye irritation (H320) Suspected of causing cancer (H351) Causes damage to organs (blood, eyes, respiratory tract) (H370) Causes damage to organs (blood, eyes, respiratory system) through prolonged or repeated exposure (H372) Very toxic to aquatic life with long lasting effects (H410)			
Preccautionary statements (GHS JP)				
Prevention	: Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Contaminated work clothing should not be allowed out of the workplace. (P272) Avoid release to the environment. (P273) Wear protective gloves/protective clothing/eye protection/face protection. (P280)			
Response	: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. (P301+P312) IF ON SKIN: Wash with plenty of water. (P302+P352) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311) Get medical advice/attention if you feel unwell. (P314) Rinse mouth. (P330) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) Take off contaminated clothing and wash it before reuse. (P362+P364) In case of fire: Use specify appropriate media to extinguish. (P370+P378) Collect spillage. (P391)			
Storage	: Store locked up. (P405)			
Disposal	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)			

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Naphthalene-d8	≥95%、≤100%	C10D8	(4)-311	Existing Chemical Substance	1146-65-2

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Fire hazard : Flammable solid.

Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.
Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures	: Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing. Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	: Do not eat, drink or smoke when using this product. Thoroughly wash your hands and gargle after handling. Ensure good ventilation of the work station. Do not contact, breathe or swallow. Take precautionary measures against static discharge. Use explosion-proof equipment.
Prevents handling of incompatible substances or mixtures	: Avoid prolonged or repeated exposure.

Storage

Storage conditions	: Store locked up. Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources. Ar filling.
Material used in packaging/containers	: Light shielding airtight container.
Technical measures	: Comply with applicable regulations.
Storage temperature	: Refrigerate: 2-10°C

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)	
		Standard Value	JSOH OEL C
Naphthalene	10 ppm	-	-

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection	: Dustproof mask
Hand protection	: Impervious protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state	: Solid
Appearance	: Solid
Color	: white
Odor	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Density	: 1.16 g/cm ³ (20°C)
Relative gas density	: No data available
Solubility	: No data available

Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive limits (vol %)	: No data available
Viscosity, kinematic	: No data available
Particle characteristics	: No data available

10. Stability and reactivity

Reactivity	: No data available
Chemical stability	: Stable under normal handling conditions. Sublimes at room temperature.
Possibility of hazardous reactions	: When in contact with dinitrogen pentoxide, may explode. May react violently with benzoyl chloride + aluminium chloride, chromium(VI) oxide and strong oxidizing agents.
Conditions to avoid	: Sunlight, heat. Ignition sources such as sparks, flames and static electricity. Contact with dinitrogen pentoxide, benzoyl chloride + aluminium chloride, chromium(VI) oxide and strong oxidizing agents.
Incompatible materials	: Dinitrogen pentoxide, Benzoyl chloride + aluminium chloride, Chromium(VI) oxide, Strong oxidizing agents
Hazardous decomposition products	: No data available

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Naphthalene	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2B
Respiratory sensitization	classification not possible
Skin sensitization	Category 1
Germ cell mutagenicity	No classification
Carcinogenicity	Category 2
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Naphthalene	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials	: With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	: Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG)	:	1334
Proper Shipping Name (IMDG)	:	NAPHTHALENE, REFINED
Packing group (IMDG)	:	III
Transport hazard class(es) (IMDG)	:	4.1
Hazard labels (IMDG)	:	4.1
Class (IMDG)	:	4.1
Division (IMDG)	:	4.1
Special provision (IMDG)	:	948, 967
Limited quantities (IMDG)	:	5 kg
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	P002, LP02
IBC packing instructions (IMDG)	:	IBC08
IBC special provisions (IMDG)	:	B3
Tank instructions (IMDG)	:	T1, BK2, BK3
Tank special provisions (IMDG)	:	TP33
Stowage category (IMDG)	:	A
Properties and observations (IMDG)	:	Crystalline flakes or powder with a persistent odour. Evolves flammable vapours at, or below, its melting point.
MFAG-No	:	133

Air transport(IATA)

UN-No. (IATA)	:	1334
Proper Shipping Name (IATA)	:	Naphthalene, refined
Packing group (IATA)	:	III
Transport hazard class(es) (IATA)	:	4.1
Hazard labels (IATA)	:	4.1
Class (IATA)	:	4.1
Division (IATA)	:	4.1
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y443
PCA limited quantity max net quantity (IATA)	:	10kg
PCA packing instructions (IATA)	:	446
PCA max net quantity (IATA)	:	25kg
CAO packing instructions (IATA)	:	449
CAO max net quantity (IATA)	:	100kg
Special provision (IATA)	:	A803
ERG code (IATA)	:	3L

Marine pollutant

:

Applicable

Regulations in Japan

Regulatory information by sea	:	Conform to the provisions of the Ship Safety Law.
Regulatory information by air	:	Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	:	133
Special transport precautions	:	When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law	:	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	:	Group 2 Specified Chemical Substance, Specified Group 2 Substance (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,3) Mutagenic Existing Chemicals (Act, Art.57-5, Official Notice by Director of Labor Standards Bureau)
	:	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3)
	:	Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
	:	Substances on Special medical examination, Past handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2)

Industrial Safety and Health Law	Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No. 0704 Item 1, 5 based on July 4, 2023)
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Fire Service Law	: Designated Combustible Substances - Combustible solids (Law Art.9-4, Cabinet Order on Hazardous Materials Art Art.1-12, Attached Table No.4)
Air Pollution Control Law	: Hazardous Air Pollutants (Central Environment Council Report No. 9) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Law Relating to Prevention of Marine Pollution and Maritime Disasters	: Marine Pollutants for Non-Bulk Shipment (Ordinance Art.30-2-3, MLIT Notification) Noxious Liquid Substances - Category X (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 1)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Order, Attached Table 1 Para.2 Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Combustible materials/Combustible material(Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Combustible materials/Combustible material(Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Hazardous materials/Flammable substance (Combustible material) (Article 21, Paragraph 2 of Law, Article 12 rule, notice appendix that defines the type of dangerous goods)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1) Naphthalene (100%)

16. Other information

Data sources	: Handbook of 17524 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	: The SDS is copyrighted material of Hayashi Pure Chemical Ind., Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.