

# Nonylphenol pentaethoxylate-d<sub>4</sub>

### Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 7/10/2024 Revision date: 7/22/2024 SDS code: XC-05 Version: 02

### Safety Data Sheet

# 1. Chemical product and company identification

**Product name** Nonylphenol pentaethoxylate-d4

SDS code XC-05

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use for any purpose other than research and experiment. Do not use on a

human body or for animal medicines, foods, household products, cosmetics, etc.

Do not use in the environment.

## 2. Hazards identification

#### **GHS** classification

Health hazards

Physical hazards **Explosives** No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification Flammable solids No classification Self-reactive substances and No classification

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in

contact with water emit flammable

gases

No classification

Oxidizing liquids No classification Oxidizing solids No classification No classification Organic peroxides

Corrosive to metals classification not possible Desensitized explosives classification not possible Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible

Reproductive toxicity Category 2

Specific target organ toxicity (single classification not possible

exposure)

Revision date: 7/22/2024 SDS code: XC-05 Version: 02

Specific target organ toxicity

(repeated exposure)
Aspiration hazard

classification not possible

classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Category 1

Hazardous to the aquatic environment, long-term (chronic)

Category 2

Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)







GHS07

GHS08 GHS09

Signal word (GHS JP) : Warning

Hazard statements (GHS JP) : Causes skin irritation (H315)

Causes serious eye irritation (H319)

Suspected of damaging fertility or the unborn child (H361)

Very toxic to aquatic life (H400)

Toxic to aquatic life with long lasting effects (H411)

Precautionary statements (GHS JP)

Prevention : Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Wash hands, forearms and face thoroughly after handling. (P264)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF ON SKIN: Wash with plenty of water. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention. (P308+P313) If skin irritation occurs: Get medical advice/attention. (P332+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)

Collect spillage. (P391)

Storage : Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

## 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
Name			CSCL no	ISHL no	OAO IIII
Nonylphenol pentaethoxylate-d4	≧90%	C25H40D4O6	(3)-589,(7)- 172	-	-

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

#### 4. First aid measures

#### First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention. Revision date: 7/22/2024 SDS code: XC-05 Version: 02

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Do NOT induce vomiting. First-aid measures after ingestion

Rinse mouth.

Get immediate medical advice/attention.

# 5. Fire fighting measures

Suitable extinguishing media

Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

Firefighting instructions

May induce explosion of containers by heating. In case of fire, product may produce irritative or toxic fumes/gases.

Hazardous decomposition products in case of fire

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

#### 6. Accidental release measures

## Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions

Avoid release to the environment.

Prevent entry to sewers and public waters.

# Methods and Equipment for Containment and Cleaning up

Methods for cleaning up

Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

# 7. Handling and storage

#### Handling

Technical measures

Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling

Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Revision date: 7/22/2024 SDS code: XC-05 Version: 02

**Storage** 

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

: Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Refrigerate: 2-10°C

# 8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

# 9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color No data available Odor No data available pΗ No data available Melting point No data available Freezing point No data available No data available **Boiling** point Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available No data available Density Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

## 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : No data available
Conditions to avoid : Sunlight, Heat
Incompatible materials : No data available
Hazardous decomposition : No data available

products

Revision date: 7/22/2024 SDS code: XC-05 Version: 02

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Poly(oxyethylene) nonylphenyl ether		
Acute toxicity (oral)	classification not possible	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 2	
Serious eye damage/irritation	Category 2A	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	Category 2	
STOT-single exposure	classification not possible	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Poly(oxyethylene) nonylphenyl ether		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 2	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

## 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

## 14. Transport information

# **International Regulations**

## Transport by sea(IMDG)

UN-No. (IMDG) : 3082

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9
Class (IMDG) : 9

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

Stowage category (IMDG) : A

Stowage category (IMDG) : A MFAG-No : 171 Revision date: 7/22/2024 SDS code: XC-05 Version: 02

Air transport(IATA)

UN-No. (IATA) 3082

Proper Shipping Name (IATA) Environmentally hazardous substance, liquid, n.o.s.

30kgG

Packing group (IATA) Ш Transport hazard class(es) (IATA) 9 Hazard labels (IATA) 9 Class (IATA) 9 PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y964

PCA limited quantity max net quantity (IATA)

PCA packing instructions (IATA) 964 PCA max net quantity (IATA) 450L CAO packing instructions (IATA) 964 CAO max net quantity (IATA) 450L

Special provision (IATA) A97, A158, A197, A215

ERG code (IATA)

Marine pollutant Applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law. Regulatory information by air

MFAG-No 171

When transporting, load containers so that they do not tip over, Special transport precautions

damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

**National law** 

Priority Assessment Chemical Substances (Law Article 2, Para.5) Chemical Substances Control Law

Industrial Safety and Health Law Not applicable Japanese Poisonous and Not applicable **Deleterious Substances Control Law** 

Fire Service Law Not applicable Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement

Law Relating to Prevention of Marine Pollution and Maritime Order, Art.1-2, Attached Table No.1 Item 2) Disasters

Foreign Exchange and Foreign Export Trade Control Order, Attached Table 1 Para.2 Trade Control Act Export Trade Control Ordinance appendix 1-16

Miscellaneous dangerous substances & articles (Dangerous Goods Ship Safety Act Notification Schedule first second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law

Miscellaneous dangerous substances & articles (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Poly(oxyethylene) alkylphenyl ether (limited to those the alkyl

group is C=9) (≥90%)

### 16. Other information

Data sources Handbook of 17524 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information The SDS is copyrighted material of Havashi Pure Chemical Ind. Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws

Revision date: 7/22/2024 SDS code: XC-05

and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.